


1. PROJECT SHALL MAINTAIN FAX LINE AND PHONE LINES IN D109 FOR USER NEEDS.

ALL ROOMS EXCEPT
CM100, D106, D109, AND
D109A ARE HARD LID IN
MENTAL HEALTH

VA FORM 08-6231



Room #	Digital Data Drops	Security Cameras	Wireless WAPs
DC100	-	1	-
DC101	-	3	3
D112	-	1	-
D110	2	2	1
D122	-	1	-
D124	-	1	-
D126	-	1	-
D126A	-	1	-
D127	-	1	-
D127A	-	1	-
D128	-	1	-
D128A	-	1	-
D129	-	1	-
D129A	-	1	-
D130	-	-	1
D109	43 (*)	-	1
D109A	6 (*)	-	-
D106	6 (*)	-	1
D108	5 (*)	-	-
D107	5 (*)	-	-
D105	5 (*)	1	-
D104	5 (*)	-	-
D100	5 (*)	-	1
CC105	-	1	-
C105	1	2	1
C104	5 (*)	-	-
CM100	1	-	-
Outside Courtyard	-	2	0
Totals	89	23	9

*Consult with COR. This is max # drops & can be likely reduced at installation.

GENERAL NOTES

1. CONTRACTOR TO PROVIDE ALL CONDUIT SLEEVES AND CONDUIT. CONDUIT SLEEVES TO BE SIZED AS REQUIRED FOR ROUTING OF TELECOMMUNICATIONS CABLING THROUGH WALLS AND NON ACCESSIBLE CEILING AREAS. CONDUIT SLEEVES SHALL BE HILTI SPEED SLEEVES. CONDUIT SIZE IS TO BE AS NOTED.
2. FOR NEW CONDUIT INSTALLATIONS THAT PENETRATE THROUGH EXISTING CONCRETE WALLS AND FLOORS, CONTRACTOR SHALL PROVIDE ALL CORE-DRILLING, SEALING, AND FIRE STOPPING AS REQUIRED.
3. IN GENERAL, DROP LOCATIONS ARE PROVIDED FOR GUIDANCE ONLY. CONTRACTOR IS RESPONSIBLE TO CONFIRM ALL OUTLET LOCATIONS ON SITE.
4. COORDINATE WITH ARCHITECTURAL DRAWINGS FOR EXACT LOCATION OF CHANNEL RACKS IN NEW TR'S.
5. FOR ALL NEW TELECOMM OUTLET LOCATIONS CONTRACTOR TO PROVIDE NEW CABLING, FACEPLATES, AND JACKS. REUSE EXISTING TELECOMM OUTLET BOX AND ROUTE NEW CABLING IN EXISTING RACEWAY BACK TO NEW TR/TE LOCATION. IF EXISTING RACEWAY IS NOT LARGE ENOUGH TO ACCOMMODATE THE NEW CAT6A CABLING. CONTRACTOR IS TO PROVIDE NEW BOX AND RACEWAY ADJACENT TO EXISTING LOCATION. SEE DETAILS ON SHEET TJ-017 FOR ADDITIONAL INFORMATION.
6. PROVIDE STAINLESS STEEL COVER PLATE FOR ALL EXISTING TELECOMM BOXES NOT BEING RE-USED.
7. CONTRACTOR TO PROVIDE ACCESS PANELS IN HARD CEILINGS AS REQUIRED.
8. CONTRACTOR SHALL BE RESPONSIBLE TO TEMPORARILY MOVE AND RETURN FURNITURE, FIXTURES, AND EQUIPMENT WITHIN SPACES AS REQUIRED TO COMPLETE EACH DAY'S WORK. THE VA WILL REMOVE, OR SECURE, PHI, PPI, AND PERSONAL PROPERTY. COORDINATE THIS WORK WITH THE COR.
13. CABLE TRAY IN ALL TR'S TO BE WIRE BASKET TRAY. MOUNTED AT 7'-6" AFF TO BOTTOM OF TRAY.
14. COORDINATE ALL LOW VOLTAGE WORK WITH OTHER TRADES TO INSURE PROPER AND ADEQUATE INTERFACE OF THEIR WORK WITH THE WORK SHOWN ON THESE DOCUMENTS. CONTRACTOR SHALL PROVIDE COORDINATED SHOP DRAWINGS FOR APPROVAL PRIOR TO FABRICATION AND INSTALLATION.
15. CONTRACTOR TO RE-USE ALL EXISTING PATHWAYS INTO ROOMS FROM NEW CORRIDOR PATHWAY IF EXISTING PATHWAY INTO ROOM DOES NOT HAVE SUFFICIENT CAPACITY TO ROUTE NEW CABLING INTO ROOM WITH EXISTING CABLING IN PLACE. CONTRACTOR TO DETERMINE IF EXISTING PENETRATION CAN BE RE-USED AFTER DEMOLITION OF EXISTING CABLING DURING HOT CUTOVER. IF PATHWAY CAN BE RE-USED CONTRACTOR TO DETERMINE OVERALL CABLE LENGTH TO ROUTE TO WORK AREA OUTLET LOCATIONS AS SHOWN AND COIL IN CORRIDOR NEAR EXISTING PATHWAY LOCATION UNTIL HOT SWAP. IF EXISTING PENETRATION IS NOT ADEQUATE FOR QUANTITY OF NEW CABLES, CONTRACTOR TO PROVIDE NEW PATHWAY SIZED TO A MAXIMUM OF 40% FILL. CONTRACTOR TO PROVIDE ALL CORING AND FIRESTOPPING AS REQUIRED.
17. CONTRACTOR TO PROVIDE ALL NEW MAIN PATHWAYS FROM TRS AS SHOWN ON DRAWINGS FOR ROUTING NEW CAT6A CABLING.
18. ALL CAMERAS SHOWN ON PLANS ARE EXISTING UNLESS NOTED OTHERWISE.

KEY NOTES

1. PROJECT SHALL MAINTAIN FAX LINE AND PHONE LINES IN D109 FOR USER NEEDS.

1 TELECOM NEW PLAN - BLDG 148 FIRST FLOOR SECTOR D - MENTAL HEALTH
1/8" = 1'-0"

Revisions:		Date:		CONSULTANTS:		ARCHITECT/ENGINEERS:		Drawing Title 148- TELECOM DEMOLITION PLAN - FIRST FLOOR SECTOR D MENTAL HEALTH ADDENDUM		Project Title EHRM INFRASTRUCTURE UPGRADES		Project Number 568-21-701		Office of Construction and Facilities Management	
								Location FORT MEADE VAMC		Building Number 148					
								Date 6/6/2025		Checked MPC		Drawn TDS			
												Drawing Number 148-TN-014A		Dwg. of	