



U.S. Department of Veterans Affairs

Veterans Health Administration

PROJECT NAME:

UPDATE SIGNAGE AND WAYFINDING

SITE ADDRESS:

DEPARTMENT OF VETERANS AFFAIRS
IOWA CITY VA HEALTH CARE SYSTEM
601 HWY 6 WEST
IOWA CITY, IA 52246

VA PROJECT NUMBER:

636A8-23-101


OWNER AND CONSULTANTS:

VA COR: BRIAN WHITE
ADDRESS: DEPARTMENT OF VETERANS AFFAIRS
IOWA CITY VA HEALTH CARE SYSTEM
601 HWY 6 WEST
IOWA CITY, IA 52246
PHONE: 319-512-9764


INTERIOR DESIGNER:
NAME: ANDERSON ENGINEERING OF MN, LLC
ADDRESS: 13605 1ST AVE NORTH, SUITE 100
PLYMOUTH, MN 55441
CONTACT: CLAIRE ZUPAN
PHONE: 763-412-4000

LANDSCAPE DESIGNER:
NAME: ANDERSON ENGINEERING OF MN, LLC
ADDRESS: 13605 1ST AVE NORTH, SUITE 100
PLYMOUTH, MN 55441
CONTACT: JESSICA FAHRENKAMP
PHONE: 763-412-4000

VICINITY MAP:



KEY PLAN:



NOT ISSUED
ISSUED
ISSUED FOR REFERENCE ONLY
ISSUED AS NOTED

SHEET INDEX - GENERAL						
SHEET NO.	SHEET TITLE	CONCEPTUAL ISSUE 05/15/2024	SD ISSUE 09/19/2024	DD ISSUE 07/26/2024	CD ISSUE 08/23/2024	ISSUE FOR BIDDING
I1	COVER SHEET					
I2	ABBREVIATIONS					

SHEET INDEX - LANDSCAPE						
SHEET NO.	SHEET TITLE	CONCEPTUAL ISSUE 05/15/2024	SD ISSUE 06/19/2024	DD ISSUE 07/26/2024	CD ISSUE 08/23/2024	ISSUE FOR BIDDING
L1	EXTERIOR SITE SIGNAGE DEMOLITION PLAN					
L2	EXTERIOR SITE WAYFINDING & SIGNAGE PLAN					
L3	GENERAL NOTES AND DETAILS					
L4	GENERAL NOTES AND DETAILS					


SHEET INDEX - ARCHITECTURAL						
SHEET NO.	SHEET TITLE	CONCEPTUAL ISSUE 05/15/2024	SD ISSUE 06/19/2024	DD ISSUE 07/26/2024	CD ISSUE 08/23/2024	ISSUE FOR BIDDING
A1-A2	BUILDING 1 - BASEMENT DEMOLITION PLAN					
A3	BUILDING 1 - FLOOR 1 DEMOLITION PLAN					
A4	BUILDING 1 - FLOOR 1 SIGNAGE PLAN					
A5	BUILDING 1 - FLOOR 2 DEMOLITION PLAN					
A6	BUILDING 1 - FLOOR 2 SIGNAGE PLAN					
A7	BUILDING 1 - FLOOR 3 DEMOLITION PLAN					
A8	BUILDING 1 - FLOOR 3 SIGNAGE PLAN					
A9	BUILDING 1 - FLOOR 4 DEMOLITION PLAN					
A10	BUILDING 1 - FLOOR 4 SIGNAGE PLAN					
A11	BUILDING 1 - FLOOR 5 DEMOLITION PLAN					
A12	BUILDING 1 - FLOOR 5 SIGNAGE PLAN					
A13	BUILDING 1 - FLOOR 7 DEMOLITION PLAN					
A14	BUILDING 1 - FLOOR 7 SIGNAGE PLAN					
A15	BUILDING 1 - FLOOR 8 DEMOLITION PLAN					
A16	BUILDING 1 - FLOOR 8 SIGNAGE PLAN					
Z-A1	BUILDING 2 - FLOOR 1 DEMOLITION PLAN					
Z-A2	BUILDING 2 - FLOOR 1 SIGNAGE PLAN					
16-A1	BUILDING 16 - FLOOR 1 & 2 DEMOLITION PLANS					
16-A2	BUILDING 16 - FLOOR 1 & 2 SIGNAGE PLANS					
40-A1	BUILDING 40 - BASEMENT DEMOLITION PLAN					
40-A2	BUILDING 40 - BASEMENT SIGNAGE PLAN					
40-A3	BUILDING 40 - FLOOR 1 DEMOLITION PLAN					
40-A4	BUILDING 40 - FLOOR 1 SIGNAGE PLAN					
40-A5	BUILDING 40 - FLOOR 2 DEMOLITION PLAN					
40-A6	BUILDING 40 - FLOOR 2 SIGNAGE PLAN					
40-A7	BUILDING 40 - FLOOR 3 DEMOLITION PLAN					
40-A8	BUILDING 40 - FLOOR 3 SIGNAGE PLAN					
41-42-A1	BUILDING 41 & 42 - BASEMENT DEMOLITION PLAN					
41-42-A2	BUILDING 41 & 42 - BASEMENT SIGNAGE PLAN					
41-42-A3	BUILDING 41 & 42 - FLOOR 1 DEMOLITION PLAN					
41-42-A4	BUILDING 41 & 42 - FLOOR 1 SIGNAGE PLAN					
41-42-A5	BUILDING 41 & 42 - FLOOR 2 DEMOLITION PLAN					
41-42-A6	BUILDING 41 & 42 - FLOOR 2 SIGNAGE PLAN					
42-A1	BUILDING 42 - FLOOR 3 DEMOLITION PLAN					
42-A2	BUILDING 42 - FLOOR 3 SIGNAGE PLAN					
50-A1	BUILDING 50 - FLOOR 1 DEMOLITION PLAN					
50-A2	BUILDING 50 - FLOOR 1 SIGNAGE PLAN					
A1	ARCHITECTURAL SIGNAGE SITE DEMOLITION PLAN					
A2	ARCHITECTURAL SIGNAGE SITE PLAN					
A3	PARKING RAMP STRUCTURE - FLOOR 1 DEMOLITION PLAN					
A4	PARKING RAMP STRUCTURE - FLOOR 1 SIGNAGE PLAN					
A5	PARKING RAMP STRUCTURE - FLOOR 2 DEMOLITION PLAN					
A6	PARKING RAMP STRUCTURE - FLOOR 2 SIGNAGE PLAN					
A7	PARKING RAMP STRUCTURE - FLOOR 3 DEMOLITION PLAN					
A8	PARKING RAMP STRUCTURE - FLOOR 3 SIGNAGE PLAN					
A9	PARKING RAMP STRUCTURE - FLOOR 4 DEMOLITION PLAN					
A10	PARKING RAMP STRUCTURE - FLOOR 4 SIGNAGE PLAN					
DE1	51 SIGN MESSAGE SCHEDULES - BASEMENT, FLOOR 1, FLOOR 2					
DE2	INTERIOR SIGNAGE DETAILS					
DE3	INTERIOR SIGNAGE DETAILS					
DE4	INTERIOR SIGNAGE DETAILS					
DE5	PARKING RAMP SIGNAGE DETAILS					
DE6	PARKING RAMP SIGNAGE DETAILS					

GENERAL NOTES

- ALL DISTURBED AREAS, WALLS, PARTITIONS, LANDSCAPING, CEMENT WORK, FLOORS, ETC., DAMAGED BY DEMOLITION, INSTALLATION, OR ICRA WORK SHALL BE PATCHED AND REPAIRED TO MATCH ADJACENT AREAS.
- ALL CONTRACTORS THAT PENETRATE AND/OR DISTURB ANY AREAS AT EXISTING CONDITIONS SHALL PATCH AREA TO MATCH EXISTING ADJACENT AREA OR SURFACE. PREPARE FOR SCHEDULE FINISH APPLICATION AND TO LIKE NEW CONDITION. COORDINATE WORK WITH GC AND VA COR BEFORE PROCEEDING.
- VA COR WILL PROVIDE INFECTION CONTROL RISK ASSESSMENT (ICRA) REQUIREMENTS TO THE GENERAL CONTRACT (GC). GC IS RESPONSIBLE FOR ENSURING ALL REQUIREMENTS LISTED ON THE PROVIDED ICRA PAPERWORK ARE COMPLIED WITH. VA COR WILL INSPECT ICRA WORK TO ENSURE COMPLIANCE. IF THE VA COR DETERMINES THAT THE GC OR THEIR SUBCONTRACTORS ARE NOT COMPLYING WITH ICRA REQUIREMENTS, THE GC SHALL CORRECT THIS DISCREPANCY IMMEDIATELY.
- SOME NIGHTS AND WEEKEND WORK MAY BE REQUIRED DURING THIS PROJECT TO PREVENT DISRUPTION TO MEDICAL FACILITY OPERATIONS AND PATIENT FLOW. THROUGHOUT THE DURATION OF THIS PROJECT, THE VA COR WILL DETERMINE WHEN NIGHTS AND WEEKEND WORK IS REQUIRED. SEE PHASING NOTES FOR ADDITIONAL INFORMATION.
- REMOVE THE EXISTING CONSTRUCTION AS DESIGNATED HEREIN AND CLEAR AREA OF DEBRIS PRIOR TO PROCEEDING WITH NEW CONSTRUCTION.
- THE GC SHALL NOTIFY THE COR IMMEDIATELY SHOULD DISCREPANCIES BE FOUND IN THE DRAWINGS AND/OR SPECIFICATIONS.
- CONTRACTORS SHALL FOLLOW AND OBEY ALL FEDERAL, STATE, AND LOCAL CODES, LAWS, SAFETY REGULATIONS AND HAZARDOUS WASTE LAWS, ETC.
- PREPARE ALL FLOOR AND WALL CONSTRUCTION, NEW AND/OR EXISTING, TO RECEIVE NEW FINISHES IN ACCORDANCE WITH MANUFACTURER'S RECOMMENDED INSTALLATION METHODS AND MATERIALS FOR ALL FINISHES.
- PRIOR TO INSTALLATION OF NEW FINISHES, CONTRACTOR SHALL INSPECT ALL SUBSTRATES. IF SUBSTRATE IS DEEMED UNACCEPTABLE, THE CONTRACTOR SHALL TAKE THE NECESSARY STEPS TO RECTIFY THE SITUATION OR CONTACT THE ARCHITECT WITH THE CONCERN BEFORE PROCEEDING.
- USE ALL MANUFACTURER'S RECOMMENDED INSTALLATION METHODS AND MATERIALS FOR ALL FINISHES.
- ALL SIGNAGE THAT IS REMOVED, AND NOT SCHEDULED TO BE REUSED, ON THIS PROJECT WILL BE OFFERED TO THE VA COR. THE VA COR RESERVES THE RIGHT TO ACCEPT OR REJECT THE REMOVED SIGNAGE IN THE BEST INTEREST OF THE MEDICAL FACILITY. IF A SIGN IS REMOVED AND REJECTED BY THE COR, IT IS THE RESPONSIBILITY OF THE GENERAL CONTRACTOR TO DISPOSE OF THE SIGN.
- THE ARCHITECTURAL DRAWINGS SHOW PRINCIPAL AREAS AND LIMITS OF CONSTRUCTION WHERE WORK MUST BE ACCOMPLISHED UNDER THIS CONTRACT. INCIDENTAL WORK MAY BE NECESSARY IN AREAS NOT SHOWN ON ARCHITECTURAL DRAWINGS DUE TO CHANGES AFFECTING ELECTRICAL, MECHANICAL, PLUMBING AND OTHER SYSTEMS. THIS INCIDENTAL WORK SHALL BE PART OF THIS CONTRACT. INSPECT THESE AREAS TO ASCERTAIN WORK REQUIRED AND PERFORM THE WORK IN ACCORDANCE OF CONTRACT REQUIREMENTS.
- DO NOT SCALE DRAWINGS. NOTIFY ARCHITECT IMMEDIATELY OF ANY DISCREPANCIES.
- PATCH OPENINGS CUT THROUGH RATED CONSTRUCTION WITH MATERIALS COMPATIBLE WITH EXISTING ASSEMBLY TO RESTORE INTEGRITY OF THE RATING. RESTORE FINISHES OF DISTURBED AREAS TO LIKE NEW CONDITION.
- GENERAL CONTRACTOR TO CHECK EXISTING MECHANICAL DRAWINGS FOR EXISTING PIPES AND DUCTS FURRED IN WALLS. VERIFY SIZE AND LOCATION WITH MECHANICAL CONTRACTOR PRIOR TO PROCEEDING WITH REMODELING.
- RESTORE EXISTING FIREPROOFING TO RATINGS INDICATED ON EXISTING LIFE SAFETY PLANS WITH MATERIALS TO MATCH EXISTING.
- ABBREVIATIONS AND SYMBOLS OF ARCHITECTURAL, STRUCTURAL, MECHANICAL, AND ELECTRICAL MAY VARY BY DISCIPLINE. SEE RESPECTIVE DISCIPLINE SECTIONS AND/OR DRAWINGS FOR DEFINITIONS.
- DEFINITIONS OF COMMON TERMS:
 - FURNISH: TO SUPPLY AND DELIVER TO THE SITE, READY FOR INSTALLATION
 - INSTALL: TO PLACE INTO POSITION SERVICE OR USE
 - PROVIDE: TO FURNISH AND INSTALL

CONSTRUCTION PHASING GENERAL NOTES

- THE WORK UNDER THIS CONTRACT SHALL BE DIVIDED INTO PHASES. A PHASE CAN INVOLVE MULTIPLE LOCATION AREAS. SEE SPECIFICATIONS SECTION 01 00 1.6.G PHASING.
- THE GENERAL CONTRACTOR SHALL COORDINATE ALL PHASING AND SEQUENCING WITH ALL TRADES AND THE OWNER. THE GENERAL CONTRACTOR SHALL PROVIDE A WRITTEN NARRATIVE TO OUTLINE CONSTRUCTION PHASING AND SEQUENCE PLANS, VALIDATING AND ELABORATING ON THIS PHASING DESCRIPTION.
- THE GENERAL CONTRACTOR SHALL COOPERATE FULLY WITH THE OWNER SO WORK MAY BE CARRIED OUT SMOOTHLY, WITHOUT INTERFERING WITH OR DELAYING WORK UNDER THIS CONTRACT, OR OTHER CONTRACTS ON THE PROJECT SITE OR WORK BY OWNER.
- THE GENERAL CONTRACTOR'S CONSTRUCTION SCHEDULE SHALL INDICATE THE SEQUENCE, COMMENCEMENT AND COMPLETION DATES, OWNER INSPECTION AND APPROVAL DATES AND MOVE-OUT AND MOVE-IN DATES OF OWNER'S PERSONNEL FOR ALL PHASES OF THE WORK.
- THE GENERAL CONTRACTOR SHALL PERFORM THE WORK IN EACH PHASE IN THE SEQUENCE SHOWN ON THE PHASING PLAN DRAWINGS AND CONSTRUCTION PHASING DESCRIPTION.
- THE GENERAL CONTRACTOR MUST COMPLETE ALL WORK IN EACH PHASE WITH THE VA INSPECTING AND ACCEPTING THE WORK PRIOR TO VA OCCUPANCY AND THE CONTRACTOR PROCEEDING TO THE NEXT SCHEDULED PHASE. UPON COMPLETION OF A PARTICULAR PHASE, THE ENTIRE AREA COVERED BY THAT PHASE CAN BE OCCUPIED BY THE VA PERSONNEL WITH ALL SYSTEMS FUNCTIONING PROPERLY.
- BEFORE COMMENCING WORK ON EACH SUCCESSIVE PHASE, THE GENERAL CONTRACTOR SHALL SUBMIT AN UPDATED COPY OF THE SCHEDULE.
- ANY DUST PARTITIONS OR ICRA-CONSTRUCTION BARRIERS CONSTRUCTED BY THE CONTRACTOR PRIOR TO THE START OF DEMOLITION MUST REMAIN IN PLACE UNTIL THE COMPLETION OF THAT PHASE OR SUBSEQUENT PHASE WHERE REQUIRED.
- THE CONTRACTOR SHALL PERFORM ALL WORK ADJACENT TO VA OCCUPIED AREAS IN SUCH A MANNER TO ENSURE THE CONTINUOUS AND UNINTERRUPTED USE OF ALL OCCUPIED AREAS, INCLUDING THE APPLICABLE MECHANICAL AND ELECTRICAL SYSTEMS SERVING THESE AREAS.
- FOR ADDITIONAL NOTES AND INFORMATION REFER TO INFECTION CONTROL DRAWINGS(S) AND DEMOLITION PLANS.
- ANY INFORMATION REGARDING SEQUENCING PROVIDED IN THE DOCUMENTS IS FOR ARCHITECT-OWNER PLANNING PURPOSES ONLY.
- THE CONTRACTOR DURING CONSTRUCTION SHALL MAINTAIN REQUIRED MEANS OF EGRESS THROUGHOUT ALL PHASING.
- THE CONTRACTOR SHALL PLAN FOR A MINIMUM OF 4 WEEKS' TIME BETWEEN PHASES TO ALLOW THE VA TO OCCUPY THE NEWLY ACCEPTED SPACE AND VACATE THE FOLLOW-ON PHASES. THE VA WILL ACCELERATE THIS TIME WHEN POSSIBLE AND WILL NOTIFY THE CONTRACTOR IF THIS OCCURS.




I HEREBY CERTIFY THAT THE PORTION OF THIS TECHNICAL SUBMISSION DESCRIBED BELOW WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND RESPONSIBLE CHARGE. I AM A DULY LICENSED ARCHITECT UNDER THE LAWS OF THE STATE OF IOWA.


SIGNATURE: *Thomas Olesak* DATE: 10/10/2024

PRINTED OR TYPED NAME: Thomas Olesak
LICENSE NUMBER: ARC07582
MY LICENSE RENEWAL DATE IS: 08/30/2025
PAGES OR SHEETS COVERED BY THIS SEAL:
Sheets I1 to I2, I-A1 to I-A16, 2-A1 to 2-A2, 16-A1 to 16-A2, 40-A1 to 40-A8, 41-42-A1 to 41-42-A6, 42-A1 to 42-A2, 50-A1 to 50-A2, A-1 to A-10, DE1 to DE6

CONSULTANT		DESIGNER OF RECORD		STAMP	Office of Construction and Facilities Management U.S. Department of Veterans Affairs		Drawing Title COVER SHEET	Phase 100% CONSTRUCTION DOCUMENTS	Project Title IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING	Project Number 636A8-23-101
Revisions:		ANDERSON 13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721					Approved:		Location 601 HWY 6 WEST, IOWA CITY, IA	Drawing Number 11
									Issue Date 10/10/2024	Checked CZ
										Drawn CZ



1 EXTERIOR SITE SIGNAGE DEMOLITION PLAN
SCALE: 1"=50' (30"x42" PLAN SHEET)



LEGEND

- PROPERTY LIMITS
- EXISTING HYDRANT
- EXISTING LIGHT POLE
- EXISTING FIRE DEPARTMENT CONNECTION
- EXISTING TREES & SHRUBS

KEY NOTES

- SIGNAGE TO BE REMOVED:
- 1 WAYFINDING SIGN
A: (1) PATIENT AND VISITOR PARKING ONLY
B: (1) EMERGENCY DEPARTMENT, PATIENT/VISITOR PARKING
C: (1) AUTHORIZED PARKING ONLY
D: (1) BUILDINGS 20, 40 & 41
E: (1) MEDICAL CENTER ENTRANCE
- 2 PARKING SIGN
A: (1) VOLUNTEER PARKING
(1) RESERVED FOR CORALVILLE SHUTTLE
(1) RESERVED FOR EMPLOYEE OF THE MONTH
(1) UNIVERSITY SHUTTLE PARKING ONLY
(1) DAILY DELIVERIES ONLY
B: (8) CONTRACTOR PARKING
C: (5) RESERVED PARKING (TEMPORARY, FENCE MOUNTED, POST MOUNTED)
D: (2) RESERVED PARKING
- 3 NO SMOKING SIGN
A: (1) NO SMOKING
- 4 TRAFFIC REGULATORY SIGN
A: (1) SPEED LIMIT 10 ON ALL VA PROPERTY; SURVEILLANCE CAMERAS IN USE
- 5 PARKING SIGN
A: (1) PURPLE HEART


NOTES

- KEY NOTES 1, 2 AND 4: SIGN REMOVAL TO INCLUDE SIGN, POST AND FOOTING.
- KEY NOTE 3: SIGN REMOVAL TO INCLUDE SIGN AND ASSOCIATED BRACKET. LIGHT POST TO REMAIN.
- KEY NOTE 5: SIGN PANEL TO BE SALVAGED AND REINSTALLED. POST TO REMAIN. SEE SHEET L2 FOR PANEL REINSTALLATION LOCATION.
- ALL SIGNAGE AND ITS PARTS TO BE REMOVED AND NOT IDENTIFIED AS SALVAGED AND REINSTALLED SHALL BECOME PROPERTY OF THE CONTRACTOR AND DISPOSED IN A LEGAL MANNER.

PHASING NOTES FOR EXTERIOR SIGNAGE:

- CONTRACTOR SHALL REMOVE AND INSTALL EXTERIOR SIGNAGE SUCH THAT THE FOLLOWING PARAMETERS ARE MET.
- CONTRACTOR SHALL DEVELOP A PHASING PLAN AND OBTAIN APPROVAL FROM VA COR PRIOR TO REMOVING OR INSTALLING EXTERIOR SIGNAGE.
- ALL PARKING STALLS SHALL BE AVAILABLE TO VA STAFF AND PATIENTS DURING VA NORMAL OPERATING DAYTIME HOURS; ALL WORK MUST BE COMPLETED DURING NIGHTS ON WEEKDAYS (BETWEEN 5 PM AND 6 AM) AND ALL DAY ON WEEKENDS, UNLESS OTHERWISE APPROVED BY THE COR.
- CONTRACTOR SHALL TAKE PRECAUTIONS TO AVOID DAMAGING PRIVATE AND GOVERNMENT OWNED VEHICLES AND PROPERTY.
- THERE SHALL BE CLOSURE OF ONLY ONE PARKING LOT AT A TIME PER VA COR APPROVAL.
- CONTRACTOR SHALL KEEP THROUGH LANES OPEN AT ALL TIMES DURING WORK.
- CONTRACTOR SHALL COMPLETE WORK ON ANY PHASE ENTIRELY PRIOR TO COMMENCING WORK ON A SUBSEQUENT PHASE.

CONSULTANTS		ARCHITECT/ENGINEER OF RECORD		STAMP		Drawing Title		Phase		Project Title		Project Number	
				I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED LANDSCAPE ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA. PRINT NAME: JOSEPH D. LICHT, PLA.		EXTERIOR SITE SIGNAGE DEMOLITION PLAN		100% CONSTRUCTION DOCUMENTS		IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING		636A8-23-101	
				SIGNATURE: [Signature] DATE: 10/10/2024 LICENSE # 52858		Approved:				Location 601 HIGHWAY 6 WEST, IOWA CITY, IA		Building Number	
Revisions:		Date:								Issue Date 10/10/2024		Checked JF	
										Drawn JS		Drawing Number	
												L1	



CONSULTANTS		ARCHITECT/ENGINEER OF RECORD		Office of Construction and Facilities Management		Drawing Title		Phase		Project Title		Project Number	
		ANDERSON		U.S. Department of Veterans Affairs		EXTERIOR SITE WAYFINDING & SIGNAGE PLAN		100% CONSTRUCTION DOCUMENTS		IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING		636A8-23-101	
Revisions:		Date:		Signature: J. Licht		Approved:				Location		Drawing Number	
				DATE: 10/10/2024						601 HIGHWAY 6 WEST, IOWA CITY, IA		L2	
				DATE: 10/10/2024						Issue Date			
										10/10/2024			
										Checked			
										JF			
										Drawn			
										JS			

1 2 3 4 5 6 7 8 9 10

A

B



C

D



E

F



File Path: I:\17720\17721.dwg User: j21 Date: 10/10/2024 12:13 PM
Project: 601 Highway 6 West, Iowa City, IA
Drawing: 08-6231
Sheet: 17721-01 of 01
Title: Update Signage and Wayfinding in City of Iowa City
Author: j21
Checked: j21
Drawn: j21
Revised: j21
Date: 10/10/2024
Scale: 1" = 1'



1 POST & PANEL SIGN (EN-03.04)
SCALE: 1" = 1'




2 POST & PANEL SIGN (EN-03.04)
SCALE: 1" = 1'




3 POST & PANEL SIGN (EN-03.06)
SCALE: 1" = 1'

- NOTES:
- SIGN SHALL BE FENCE MOUNTED 6" FROM TOP FENCE RAIL AND MINIMUM 6" AWAY FROM ANY EXISTING SIGNS TO REMAIN OR END POSTS.
 - SIGNS SHALL BE MOUNTED ON STATIONARY SECTIONS OF FENCE.



4 FENCE MOUNTED INFORMATIONAL SIGN, MEDIUM (EN-06.06)
SCALE: 1" = 1'


CONSULTANTS		ARCHITECT/ENGINEER OF RECORD		STAMP		Drawing Title		Phase		Project Title		Project Number	
						GENERAL NOTES AND DETAILS		100% CONSTRUCTION DOCUMENTS		IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING		636A8-23-101	
						Approved:				Location 601 HIGHWAY 6 WEST, IOWA CITY, IA		Building Number	
										Issue Date 10/10/2024		Checked JF	
										Drawn JS		Drawing Number	
												L3	
Revisions:		Date:											



<p>NOTES:</p> <ol style="list-style-type: none"> 1. MESSAGE 2.1 & 2.2: TEXT TO BE WHITE IN COLOR, PANEL TO BE WELLS FARGO BLACK IN COLOR. 2. MESSAGE 4.1: TEXT TO BE BLACK IN COLOR, PANEL TO BE WHITE IN COLOR WITH SAFETY RED CIRCLE WITH CROSSOUT. 3. FOR SIGN MOUNTING, SEE DETAIL 1/L4.


② SINGLE POST & PANEL, SMALL (EN-05.03)

SCALE: 1" = 1'



1 SINGLE POST & PANEL (EN-05.03)

SCALE: 1" = 1'




NOTES:

1. TEXT TO BE WHITE IN COLOR, PANEL TO BE WELLS FARGO BLACK IN COLOR.
2. FOR SIGN MOUNTING, SEE DETAIL 1/L4.
3. STALL NUMBERING TO BE VERIFIED BY COR.
4. BACK-TO-BACK SIGN PANELS SHALL BE PARALLEL AND EACH PANEL SHALL RECEIVE TWO MOUNTING BRACKETS.


2 SINGLE POST & PANEL
PARKING STALL DESIGNATION (PL-12.03)

SCALE: 1" = 1'





**SINGLE POST & PANEL ACCESSIBLE
PARKING STALL DESIGNATION (PL-12.04)**

SCALE: 1" = 1



TRAFFIC REGULATORY SIGNS (EN-10.01)

SCALE: 1" = 1'




NOTES:


1. REFER TO PLANS AND DETAILS 8, 9, 10 & 11 ON SHEET L4 FOR EXTERIOR SIGN INSTALLATION LOCATIONS UNLESS OTHERWISE NOTED.

6 POST & PANEL SIGN SETTING DETAIL

SCALE: N.T.S.




TYPE A: SURFACE MOUNTED



TYPE B: CONCRETE FOOTING


7 SINGLE SIGN POST SETTING DETAILS

SCALE: N.T.S.



SIGN POST LOCATION DETAIL:
GREEN SPACE, BACK OF PAVEMENT

SCALE: N.T.S.




NOTES:

1. CENTER OF SIGN POST SHALL BE INSTALLED 3'-0" FROM BACK OF CURB.
2. CENTER OF SIGN POST SHALL BE INSTALLED WITH SIGN PANEL FACING PERPENDICULAR TO DIRECTION OF TRAVEL.

SIGN POST LOCATION DETAIL: CROSSWALK

SCALE: N.T.S.




NOTES:

1. CENTER OF SIGN POST SHALL BE INSTALLED 1'-0" FROM BACK OF CURB.
2. CENTER OF SIGN POST SHALL BE INSTALLED CENTERED TO PARKING STALL WITH SIGN PANEL FACING PERPENDICULAR TO STALL STRIPING.

10 SIGN POST LOCATION DETAIL: SIDEWALK

SCALE: N.T.S.





NOTES:

1. CENTER OF SIGN POST SHALL BE INSTALLED AT DIVIDING LINE OF HEAD-TO-HEAD PARKING.
2. CENTER OF SIGN POST SHALL BE INSTALLED CENTERED TO PARKING STALL WITH SIGN PANEL FACING PERPENDICULAR TO STALL STRIPING.

14 SIGN POST LOCATION DETAIL:
HEAD-TO-HEAD PARKING

SCALE: N.T.S.

		CONSULTANTS		ARCHITECT/ENGINEER OF RECORD		STAMP		Drawing Title		Phase		Project Title		Project Number	
						I HEREBY CERTIFY THAT THIS PLAN, SPECIFICATION, OR REPORT WAS PREPARED BY ME OR UNDER MY DIRECT SUPERVISION AND THAT I AM A DULY LICENSED LANDSCAPE ARCHITECT UNDER THE LAWS OF THE STATE OF MINNESOTA. PRINT NAME: <u>JOSEPH D. LUCHT, PLA</u> SIGNATURE: <u>[Signature]</u> DATE: <u>10/10/2024</u> LICENSE # <u>52888</u>		GENERAL NOTES AND DETAILS		100% CONSTRUCTION DOCUMENTS		IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING		636A8-23-101	
				 13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721		Office of Construction and Facilities Management  U.S. Department of Veterans Affairs		Approved:				Location 601 HIGHWAY 6 WEST, IOWA CITY, IA		Building Number	
Revisions:		Date:										Issue Date 10/10/2024		Checked JF	
												Drawn JS		Drawing Number L4	

DEMOLITION GENERAL NOTES


1. CONTRACTOR SHALL COORDINATE ALL DEMOLITION WORK, PHASING AND SEQUENCING WITH THE OWNER. ANY INFORMATION REGARDING SEQUENCING PROVIDED IN THESE DOCUMENTS IS FOR ARCHITECT - OWNER PLANNING PURPOSES ONLY, UNLESS NOTED OTHERWISE.
2. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING WITH ALL TRADES FOR THE DEMOLITION WORK REQUIRED FOR THIS PROJECT.
3. PATCH AND REPAIR SURFACE TO MATCH EXISTING FINISHES WHERE WALL AND CEILING MOUNTED SIGNAGE IS SCHEDULED TO BE REMOVED, UNLESS NOTED OTHERWISE. WHERE WALLCOVERING OCCURS, PATCH AND PREPARE SURFACE FOR PAINT. PAINT TO MATCH CAMPUS STANDARDS.
4. ALL DISTURBED AREAS, WALLS, PARTITIONS, FLOORS, ETC, DAMAGED BY DEMOLITION WORK SHALL BE PATCHED TO MATCH ADJACENT AREA.
5. OWNER RESERVES THE RIGHT OF FIRST REFUSAL OF ALL SALVAGED ITEMS.
6. SALVAGED ITEMS SCHEDULED FOR REUSE SHALL BE CLEANED, RESTORED AND/OR REFINISHED TO LIKE NEW CONDITION, UNLESS NOTED OTHERWISE.
7. SEE LANDSCAPE ARCHITECTURAL DRAWINGS FOR RELATED DEMOLITION AND PREP WORK.
8. REMOVE AND SALVAGE EXISTING CEILING TILES FOR INSTALLATION OF ABOVE CEILING SIGNAGE SUPPORTS.
9. WHERE WALLCOVERING OCCURS AND SIGNAGE IS REMOVED, REMOVE WALLCOVERING AND PATCH AND PREP WALL FOR PAINT.
10. REMOVE ALL OVERHEAD SIGNAGE IN PARKING RAMP UNLESS OTHERWISE NOTED.

DEMOLITION PLAN KEYED NOTES


- DE1 WAYFINDING SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE2 REMOVE WAYFINDING SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE3 ROOM IDENTIFICATION SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE4 GENERAL AND LIFE SAFETY SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE5 REMOVE GENERAL SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE6 REMOVE TEMPORARY SIGN
- DE7 REMOVE UNUSED SIGN POSTS. PATCH SURFACE
- DE8 REMOVE POST AND PANEL SIGNS. REPLACE
- DE9 REMOVE SIGN. REPLACE
- DE10 REMOVE SIGN. PATCH SURFACE
- DE11 REMOVE SIGN
- DE12 REMOVE DOOR MOUNTED SIGN. PATCH AND PAINT SURFACE TO MATCH EXISTING
- DE13 RELOCATE ITEMS TO SOUTH WALL OR ENCLOSED TACKBOARDS. HAZARD SIGNS, AED SIGN, AND PHONE LIST TO REMAIN
- DE14 REMOVE EXISTING WALLCOVERING WHERE INDICATED. REPAIR WALL AND PAINT SURFACE TO ACCORDING TO CAMPUS STANDARDS
- DE15 REMOVE ADHERED LETTERING FROM CHECK-IN WINDOW
- DE16 REMOVE EMERGENCY DEPARTMENT, HOSPITAL ENTRANCE, AND NO SMOKING SIGNS. REPAIR SURFACE
- DE17 REMOVE CLEARANCE BAR. REPAIR SURFACE
- DE18 OVERHEAD SIGN TO REMAIN (MESSAGE: OUT, DROP-OFF)
- DE19 OVERHEAD SIGN TO REMAIN (MESSAGE: DROP-OFF)
- DE20 OVERHEAD SIGN TO REMAIN (MESSAGE: PARK, PARKING)
- DE21 REMOVE EMERGENCY BANNER

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN

KEYPLAN



1 BUILDING 1 - BASEMENT DEMOLITION PLAN
1/16" = 1'-0"



CONSULTANT		DESIGNER OF RECORD		STAMP	Office of Construction and Facilities Management		Drawing Title	Phase	Project Title		Project Number
		ANDERSON			U.S. Department of Veterans Affairs		BUILDING 1 - BASEMENT DEMOLITION PLAN	100% CONSTRUCTION DOCUMENTS	IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING		636A8-23-101
		13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721					Approved:		Location 601 HWY 6 WEST, IOWA CITY, IA		Building Number 1
Revisions:		Date:							Issue Date 10/10/2024		Drawing Number 1-A1
									Checked CZ		
									Drawn CZ		


SIGNAGE GENERAL NOTES

1. DETAIL DRAWINGS PERTAIN TO SIGNAGE IN ALL BUILDINGS INCLUDED IN THE SCOPE OF WORK.
2. ALL SIGNAGE IDENTIFYING PERMANENT ROOMS SHALL COMPLY WITH 2010 STANDARD FOR ACCESSIBLE DESIGN.
3. ALL PERMANENT ROOM SIGNAGE TO HAVE TOP SECTION RAISED TEXT AND LOWER SECTION BRAILLE. BRAILLE TO BE GRADE 2.
4. ALL ROOM IDENTIFICATION SIGNS TO BE MOUNTED ON LATCH SIDE OF DOOR UNLESS NOTED OTHERWISE. IF NO SPACE EXISTS ON LATCH SIDE MOUNT SIGN TO THE NEAREST ADJACENT WALL. SIGNS MUST BE 2" FROM DOOR JAMB WITH 18" CLEAR FLOOR SPACE FROM CENTER OF SIGN.
5. ALL SIGN TEXT AND NUMBERING SUBJECT TO FINAL APPROVAL BY OWNER.
6. ALL SIGNS MOUNTED TO GLASS TO HAVE GLASS BACKER.
7. SIGNS TO BE MOUNTED ACCORDING TO MANUFACTURERS INSTALLATION INSTRUCTIONS AND MATERIALS.
8. SIGN DETAILS ARE FOR REFERENCE ONLY. ACTUAL DESIGN TO BE PROVIDED BY THE VENDOR, FOLLOWING FACILITY STANDARD, AND SUBJECT TO OWNER APPROVAL.
9. REINSTALL CEILING SYSTEMS REMOVED AND SALVAGED DURING DEMOLITION. REPLACE ANY DAMAGED CEILING FINISHES IN-KIND WITH EXISTING.
10. WHERE WALL COVERING WAS REMOVED, PATCH AND PAINT WALLS TO MATCH EXISTING PAINT.

SIGNAGE KEYED NOTES

- S1 DOOR MOUNTED.
- S2 CEILING MOUNTED.
- S3 ADJUST DIRECTORY LOCATION AS NECESSARY.
- S4 NOT USED.
- S5 WALKWAY TO BUILDING 1, LEVEL 1.
- S6 WALKWAY TO BUILDING 1, BASEMENT LEVEL.
- S7 WALKWAY INTO BUILDING 2.
- S8 WALKWAY TO BUILDING 50.
- S9 CONNECTION TO BUILDING 40.
- S10 BUILDING 41.
- S11 BUILDING 42.
- S12 BUILDING 41 ROOF ACCESS.
- S13 RESERVED STALLS 1.1-1.23
- S14 RESERVED STALLS 1.24-1.45
- S15 RESERVED STALLS 1.46-1.53
- S16 RESERVED STALLS 2.1-2.40
- S17 RESERVED STALLS 2.41-74
- S18 RESERVED STALLS 2.75-2.105
- S19 RESERVED STALLS 3.1-3.20
- S20 RESERVED STALLS 3.21-3.51
- S21 RESERVED STALLS 3.52-3.84
- S22 RESERVED STALLS 4.1-4.20
- S23 RESERVED STALLS 4.21-4.61

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN



DEMOLITION GENERAL NOTES


- CONTRACTOR SHALL COORDINATE ALL DEMOLITION WORK, PHASING AND SEQUENCING WITH THE OWNER. ANY INFORMATION REGARDING SEQUENCING PROVIDED IN THESE DOCUMENTS IS FOR ARCHITECT - OWNER PLANNING PURPOSES ONLY, UNLESS NOTED OTHERWISE.
- CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING WITH ALL TRADES FOR THE DEMOLITION WORK REQUIRED FOR THIS PROJECT.
- PATCH AND REPAIR SURFACE TO MATCH EXISTING FINISHES WHERE WALL AND CEILING MOUNTED SIGNAGE IS SCHEDULED TO BE REMOVED, UNLESS NOTED OTHERWISE. WHERE WALLCOVERING OCCURS, PATCH AND PREPARE SURFACE FOR PAINT. PAINT TO MATCH CAMPUS STANDARDS.
- ALL DISTURBED AREAS, WALLS, PARTITIONS, FLOORS, ETC. DAMAGED BY DEMOLITION WORK SHALL BE PATCHED TO MATCH ADJACENT AREA.
- OWNER RESERVES THE RIGHT OF FIRST REFUSAL OF ALL SALVAGED ITEMS.
- SALVAGED ITEMS SCHEDULED FOR REUSE SHALL BE CLEANED, RESTORED AND/OR REFINISHED TO LIKE NEW CONDITION, UNLESS NOTED OTHERWISE.
- SEE LANDSCAPE ARCHITECTURAL DRAWINGS FOR RELATED DEMOLITION AND PREP WORK.
- REMOVE AND SALVAGE EXISTING CEILING TILES FOR INSTALLATION OF ABOVE CEILING SIGNAGE SUPPORTS.
- WHERE WALLCOVERING OCCURS AND SIGNAGE IS REMOVED, REMOVE WALLCOVERING AND PATCH AND PREP WALL FOR PAINT.
- REMOVE ALL OVERHEAD SIGNAGE IN PARKING RAMP UNLESS OTHERWISE NOTED.

DEMOLITION PLAN KEYED NOTES


- DE1 WAYFINDING SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE2 REMOVE WAYFINDING SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE3 ROOM IDENTIFICATION SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE4 GENERAL AND LIFE SAFETY SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE5 REMOVE GENERAL SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE6 REMOVE TEMPORARY SIGN
- DE7 REMOVE UNUSED SIGN POSTS. PATCH SURFACE
- DE8 REMOVE POST AND PANEL SIGNS. REPLACE
- DE9 REMOVE SIGN. REPLACE
- DE10 REMOVE SIGN. PATCH SURFACE
- DE11 REMOVE SIGN
- DE12 REMOVE DOOR MOUNTED SIGN. PATCH AND PAINT SURFACE TO MATCH EXISTING
- DE13 RELOCATE ITEMS TO SOUTH WALL OR ENCLOSED TACKBOARDS. HAZARD SIGNS, AED SIGN, AND PHONE LIST TO REMAIN
- DE14 REMOVE EXISTING WALLCOVERING WHERE INDICATED. REPAIR WALL AND PAINT SURFACE TO ACCORDING TO CAMPUS STANDARDS
- DE15 REMOVE ADHERED LETTERING FROM CHECK-IN WINDOW
- DE16 REMOVE EMERGENCY DEPARTMENT, HOSPITAL ENTRANCE, AND NO SMOKING SIGNS. REPAIR SURFACE
- DE17 REMOVE CLEARANCE BAR. REPAIR SURFACE
- DE18 OVERHEAD SIGN TO REMAIN (MESSAGE: OUT, DROP-OFF)
- DE19 OVERHEAD SIGN TO REMAIN (MESSAGE: DROP-OFF)
- DE20 OVERHEAD SIGN TO REMAIN (MESSAGE: PARK, PARKING)
- DE21 REMOVE EMERGENCY BANNER

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN

KEYPLAN



1 BUILDING 1 - FLOOR 1 DEMOLITION PLAN
1/16" = 1'-0"



CONSULTANT		DESIGNER OF RECORD		STAMP	Office of Construction and Facilities Management		Drawing Title	Phase	Project Title		Project Number
		ANDERSON			U.S. Department of Veterans Affairs		BUILDING 1 - FLOOR 1 DEMOLITION PLAN	100% CONSTRUCTION DOCUMENTS	IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING		636A8-23-101
		13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721					Approved:		Location 601 HWY 6 WEST, IOWA CITY, IA		Building Number 1
Revisions:		Date:							Issue Date 10/10/2024		Drawing Number 1-A3
									Checked CZ		
									Drawn CZ		

SIGNAGE GENERAL NOTES


1. DETAIL DRAWINGS PERTAIN TO SIGNAGE IN ALL BUILDINGS INCLUDED IN THE SCOPE OF WORK.
2. ALL SIGNAGE IDENTIFYING PERMANENT ROOMS SHALL COMPLY WITH 2010 STANDARD FOR ACCESSIBLE DESIGN.
3. ALL PERMANENT ROOM SIGNAGE TO HAVE TOP SECTION RAISED TEXT AND LOWER SECTION BRAILLE. BRAILLE TO BE GRADE 2.
4. ALL ROOM IDENTIFICATION SIGNS TO BE MOUNTED ON LATCH SIDE OF DOOR UNLESS NOTED OTHERWISE. IF NO SPACE EXISTS ON LATCH SIDE MOUNT SIGN TO THE NEAREST ADJACENT WALL. SIGNS MUST BE 2" FROM DOOR JAMB WITH 18" CLEAR FLOOR SPACE FROM CENTER OF SIGN.
5. ALL SIGN TEXT AND NUMBERING SUBJECT TO FINAL APPROVAL BY OWNER.
6. ALL SIGNS MOUNTED TO GLASS TO HAVE GLASS BACKER.
7. SIGNS TO BE MOUNTED ACCORDING TO MANUFACTURERS INSTALLATION INSTRUCTIONS AND MATERIALS.
8. SIGN DETAILS ARE FOR REFERENCE ONLY. ACTUAL DESIGN TO BE PROVIDED BY THE VENDOR, FOLLOWING FACILITY STANDARD, AND SUBJECT TO OWNER APPROVAL.
9. REINSTALL CEILING SYSTEMS REMOVED AND SALVAGED DURING DEMOLITION. REPLACE ANY DAMAGED CEILING FINISHES IN-KIND WITH EXISTING.
10. WHERE WALL COVERING WAS REMOVED, PATCH AND PAINT WALLS TO MATCH EXISTING PAINT.

SIGNAGE KEYED NOTES

- S1 DOOR MOUNTED.
- S2 CEILING MOUNTED.
- S3 ADJUST DIRECTORY LOCATION AS NECESSARY.
- S4 NOT USED.
- S5 WALKWAY TO BUILDING 1, LEVEL 1.
- S6 WALKWAY TO BUILDING 1, BASEMENT LEVEL.
- S7 WALKWAY INTO BUILDING 2.
- S8 WALKWAY TO BUILDING 50.
- S9 CONNECTION TO BUILDING 40.
- S10 BUILDING 41.
- S11 BUILDING 42.
- S12 BUILDING 41 ROOF ACCESS.
- S13 RESERVED STALLS 1.1-1.23
- S14 RESERVED STALLS 1.24-1.45
- S15 RESERVED STALLS 1.46-1.53
- S16 RESERVED STALLS 2.1-2.40
- S17 RESERVED STALLS 2.41-74
- S18 RESERVED STALLS 2.75-2.105
- S19 RESERVED STALLS 3.1-3.20
- S20 RESERVED STALLS 3.21-3.51
- S21 RESERVED STALLS 3.52-3.84
- S22 RESERVED STALLS 4.1-4.20
- S23 RESERVED STALLS 4.21-4.61

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN

KEYPLAN



SEE SHEET DE1 FOR
BUILDING 1 FLOOR 1
SIGNAGE SCHEDULE

0 4' 8' 16'

1 BUILDING 1 - FLOOR 1 SIGNAGE PLAN
1/8" = 1'-0"

CONSULTANT

DESIGNER OF RECORD

ANDERSON

13605 1st Ave. N. #100 Plymouth, MN 55441
P 763.412.4000 | F 763.412.4090 | ae-mn.com
Anderson Engineering of Minnesota, LLC | Proj # 17721

STAMP

Office of
Construction
and Facilities
Management



U.S. Department
of Veterans
Affairs

Drawing Title
BUILDING 1 - FLOOR 1 SIGNAGE
PLAN

Approved:

Phase
100% CONSTRUCTION
DOCUMENTS

Project Title
IOWA CITY VAMC
UPDATE SIGNAGE AND WAYFINDING

Location
601 HWY 6 WEST, IOWA CITY, IA

Issue Date
10/10/2024

Checked
CZ

Drawn
CZ

Project Number
636A8-23-101
Building Number
1

Drawing Number
1-A4

F

C:\Users\czupar\Documents\17721 IA VA Signage_R22_csupar\AMEX.rvt

A

B

C

D

E

F

A

B

C

D

E

F

DEMOLITION GENERAL NOTES

- CONTRACTOR SHALL COORDINATE ALL DEMOLITION WORK, PHASING AND SEQUENCING WITH THE OWNER. ANY INFORMATION REGARDING SEQUENCING PROVIDED IN THESE DOCUMENTS IS FOR ARCHITECT - OWNER PLANNING PURPOSES ONLY. UNLESS NOTED OTHERWISE.
- CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING WITH ALL TRADES FOR THE DEMOLITION WORK REQUIRED FOR THIS PROJECT.
- PATCH AND REPAIR SURFACE TO MATCH EXISTING FINISHES WHERE WALL AND CEILING MOUNTED SIGNAGE IS SCHEDULED TO BE REMOVED. UNLESS NOTED OTHERWISE. WHERE WALLCOVERING OCCURS, PATCH AND PREPARE SURFACE FOR PAINT. PAINT TO MATCH CAMPUS STANDARDS.
- ALL DISTURBED AREAS, WALLS, PARTITIONS, FLOORS, ETC., DAMAGED BY DEMOLITION WORK SHALL BE PATCHED TO MATCH ADJACENT AREA.
- OWNER RESERVES THE RIGHT OF FIRST REFUSAL OF ALL SALVAGED ITEMS.
- SALVAGED ITEMS SCHEDULED FOR REUSE SHALL BE CLEANED, RESTORED AND/OR REFINISHED TO LIKE NEW CONDITION, UNLESS NOTED OTHERWISE.
- SEE LANDSCAPE ARCHITECTURAL DRAWINGS FOR RELATED DEMOLITION AND PREP WORK.
- REMOVE AND SALVAGE EXISTING CEILING TILES FOR INSTALLATION OF ABOVE CEILING SIGNAGE SUPPORTS.
- WHERE WALLCOVERING OCCURS AND SIGNAGE IS REMOVED, REMOVE WALLCOVERING AND PATCH AND PREP WALL FOR PAINT.
- REMOVE ALL OVERHEAD SIGNAGE IN PARKING RAMP UNLESS OTHERWISE NOTED.

DEMOLITION PLAN KEYED NOTES


- DE1: WAYFINDING SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE2: REMOVE WAYFINDING SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE3: ROOM IDENTIFICATION SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE4: GENERAL AND LIFE SAFETY SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE5: REMOVE GENERAL SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE6: REMOVE TEMPORARY SIGN
- DE7: REMOVE UNUSED SIGN POSTS. PATCH SURFACE
- DE8: REMOVE POST AND PANEL SIGNS. REPLACE
- DE9: REMOVE SIGN. REPLACE
- DE10: REMOVE SIGN. PATCH SURFACE
- DE11: REMOVE SIGN
- DE12: REMOVE DOOR MOUNTED SIGN. PATCH AND PAINT SURFACE TO MATCH EXISTING
- DE13: RELOCATE ITEMS TO SOUTH WALL OR ENCLOSED TACKBOARDS. HAZARD SIGNS, AED SIGN, AND PHONE LIST TO REMAIN
- DE14: REMOVE EXISTING WALLCOVERING WHERE INDICATED. REPAIR WALL AND PAINT SURFACE TO ACCORDING TO CAMPUS STANDARDS
- DE15: REMOVE ADHERED LETTERING FROM CHECK-IN WINDOW
- DE16: REMOVE EMERGENCY DEPARTMENT, HOSPITAL ENTRANCE, AND NO SMOKING SIGNS. REPAIR SURFACE
- DE17: REMOVE CLEARANCE BAR. REPAIR SURFACE
- DE18: OVERHEAD SIGN TO REMAIN (MESSAGE: OUT, DROP-OFF)
- DE19: OVERHEAD SIGN TO REMAIN (MESSAGE: DROP-OFF)
- DE20: OVERHEAD SIGN TO REMAIN (MESSAGE: PARK, PARKING)
- DE21: REMOVE EMERGENCY BANNER

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN




1 BUILDING 1 - FLOOR 2 DEMOLITION PLAN

1/16" = 1'-0"



KEYPLAN



CONSULTANT		DESIGNER OF RECORD		STAMP		Office of Construction and Facilities Management		Drawing Title		Phase		Project Title		Project Number	
		ANDERSON				U.S. Department of Veterans Affairs		BUILDING 1 - FLOOR 2 DEMOLITION PLAN		100% CONSTRUCTION DOCUMENTS		IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING		636A8-23-101	
		13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721						Approved:				Location 601 HWY 6 WEST, IOWA CITY, IA		Building Number 1	
Revisions:		Date:										Issue Date 10/10/2024		Checked CZ	
												Drawn CZ		Drawing Number 1-A5	

SIGNAGE GENERAL NOTES

1. DETAIL DRAWINGS PERTAIN TO SIGNAGE IN ALL BUILDINGS INCLUDED IN THE SCOPE OF WORK.
2. ALL SIGNAGE IDENTIFYING PERMANENT ROOMS SHALL COMPLY WITH 2010 STANDARD FOR ACCESSIBLE DESIGN.
3. ALL PERMANENT ROOM SIGNAGE TO HAVE TOP SECTION RAISED TEXT AND LOWER SECTION BRAILLE. BRAILLE TO BE GRADE 2.
4. ALL ROOM IDENTIFICATION SIGNS TO BE MOUNTED ON LATCH SIDE OF DOOR. UNLESS NOTED OTHERWISE. IF NO SPACE EXISTS ON LATCH SIDE MOUNT SIGN TO THE NEAREST ADJACENT WALL. SIGNS MUST BE 2" FROM DOOR JAMB WITH 18" CLEAR FLOOR SPACE FROM CENTER OF SIGN.
5. ALL SIGN TEXT AND NUMBERING SUBJECT TO FINAL APPROVAL BY OWNER.
6. ALL SIGNS MOUNTED TO GLASS TO HAVE GLASS BACKER.
7. SIGNS TO BE MOUNTED ACCORDING TO MANUFACTURERS INSTALLATION INSTRUCTIONS AND MATERIALS.
8. SIGN DETAILS ARE FOR REFERENCE ONLY. ACTUAL DESIGN TO BE PROVIDED BY THE VENDOR. FOLLOWING FACILITY STANDARD, AND SUBJECT TO OWNER APPROVAL.
9. REINSTALL CEILING SYSTEMS REMOVED AND SALVAGED DURING DEMOLITION. REPLACE ANY DAMAGED CEILING FINISHES IN-KIND WITH EXISTING.
10. WHERE WALL COVERING WAS REMOVED, PATCH AND PAINT WALLS TO MATCH EXISTING PAINT.


SIGNAGE KEYED NOTES

- S1 DOOR MOUNTED.
- S2 CEILING MOUNTED.
- S3 ADJUST DIRECTORY LOCATION AS NECESSARY.
- S4 NOT USED.
- S5 WALKWAY TO BUILDING 1, LEVEL 1.
- S6 WALKWAY TO BUILDING 1, BASEMENT LEVEL.
- S7 WALKWAY INTO BUILDING 2.
- S8 WALKWAY TO BUILDING 50.
- S9 CONNECTION TO BUILDING 40.
- S10 BUILDING 41.
- S11 BUILDING 42.
- S12 BUILDING 41 ROOF ACCESS.
- S13 RESERVED STALLS 1.1-1.23
- S14 RESERVED STALLS 1.24-1.45
- S15 RESERVED STALLS 1.46-1.53
- S16 RESERVED STALLS 2.1-2.40
- S17 RESERVED STALLS 2.41-74
- S18 RESERVED STALLS 2.75-2.105
- S19 RESERVED STALLS 3.1-3.20
- S20 RESERVED STALLS 3.21-3.51
- S21 RESERVED STALLS 3.52-3.84
- S22 RESERVED STALLS 4.1-4.20
- S23 RESERVED STALLS 4.21-4.61

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN


SEE SHEET DE1 FOR
BUILDING 1 FLOOR 2
SIGNAGE SCHEDULE

KEYPLAN



1 BUILDING 1 - FLOOR 2 SIGNAGE PLAN
1/16" = 1'-0"

0 4' 8' 16'



CONSULTANT		DESIGNER OF RECORD		STAMP		Office of Construction and Facilities Management		Drawing Title BUILDING 1 - FLOOR 2 SIGNAGE PLAN		Phase 100% CONSTRUCTION DOCUMENTS		Project Title IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING		Project Number 636A8-23-101	
		ANDERSON				U.S. Department of Veterans Affairs		Approved:				Location 601 HWY 6 WEST, IOWA CITY, IA		Building Number 1	
Revisions:		Date:		13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721								Issue Date 10/10/2024		Checked CZ	
												Drawn CZ		Drawing Number 1-A6	

10/10/2024 11:33:14 AM

F

C:\Users\czupar\Documents\17721 IA VA Signage_R22_csupar\AMEX.rvt

DEMOLITION GENERAL NOTES


1. CONTRACTOR SHALL COORDINATE ALL DEMOLITION WORK, PHASING AND SEQUENCING WITH THE OWNER. ANY INFORMATION REGARDING SEQUENCING FROM THESE DOCUMENTS IS FOR ARCHITECT - OWNER PLANNING PURPOSES ONLY, UNLESS NOTED OTHERWISE.
2. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING WITH ALL TRADES FOR THE DEMOLITION WORK REQUIRED FOR THIS PROJECT.
3. PATCH AND REPAIR SURFACE TO MATCH EXISTING FINISHES WHERE WALL AND CEILING MOUNTED SIGNAGE IS SCHEDULED TO BE REMOVED. UNLESS NOTED OTHERWISE, MATCH EXISTING FINISHES. PATCH AND PREPARE SURFACE FOR PAINT. PAINT TO MATCH CAMPUS STANDARDS.
4. ALL DISTURBED AREAS, WALLS, PARTITIONS, FLOORS, ETC. DAMAGED BY DEMOLITION WORK SHALL BE PATCHED TO MATCH ADJACENT AREA.
5. OWNER RESERVES THE RIGHT OF FIRST REFUSAL OF ALL SALVAGED ITEMS.
6. SALVAGED ITEMS SCHEDULED FOR REUSE SHALL BE CLEANED, RESTORED AND/OR REFINISHED TO LIKE NEW CONDITION, UNLESS NOTED OTHERWISE.
7. SEE LANDSCAPE ARCHITECTURAL DRAWINGS FOR RELATED DEMOLITION AND PREP WORK.
8. REMOVE AND SALVAGE EXISTING CEILING TILES FOR INSTALLATION OF ABOVE CEILING SIGNAGE SUPPORTS.
9. WHERE WALL COVERINGS AND SIGNAGE IS REMOVED, REMOVE WALLCOVERING AND PATCH AND PREP WALL FOR PAINT.
10. REMOVE ALL OVERHEAD SIGNAGE IN PARKING RAMP UNLESS OTHERWISE NOTED.

DEMOLITION PLAN KEYED NOTES


- | | |
|------|--------------------------------------------------------------------------------------------------------------|
| DE1 | WAYFINDING SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED |
| DE2 | REMOVE WAYFINDING SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES |
| DE3 | ROOM IDENTIFICATION SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED |
| DE4 | GENERAL AND LIFE SAFETY SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED |
| DE5 | REMOVE GENERAL SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES |
| DE6 | REMOVE TEMPORARY SIGN |
| DE7 | REMOVE UNUSED SIGN POSTS. PATCH SURFACE |
| DE8 | REMOVE POST AND PANEL SIGNS. REPLACE |
| DE9 | REMOVE SIGN. REPLACE |
| DE10 | REMOVE SIGN. PATCH SURFACE |
| DE11 | REMOVE SIGN |
| DE12 | REMOVE DOOR MOUNTED SIGN. PATCH AND PAINT SURFACE TO MATCH EXISTING |
| DE13 | RELOCATE ITEMS TO SOUTH WALL OR ENCLOSED TACKBOARDS. HAZARD SIGNS, AED SIGN, AND PHONE LIST TO REMAIN |
| DE14 | REMOVE EXISTING WALLCOVERING WHERE INDICATED. REPAIR WALL AND PAINT SURFACE TO ACCORDING TO CAMPUS STANDARDS |
| DE15 | REMOVE ADHERED LETTERING FROM CHECK-IN WINDOW |
| DE16 | REMOVE EMERGENCY DEPARTMENT, HOSPITAL, ENTRANCE, AND NO SMOKING SIGNS. REPAIR SURFACE |
| DE17 | REMOVE CLEARANCE BAR. REPAIR SURFACE |
| DE18 | OVERHEAD SIGN TO REMAIN (MESSAGE: OUT, DROP-OFF) |
| DE19 | OVERHEAD SIGN TO REMAIN (MESSAGE: DROP-OFF) |
| DE20 | OVERHEAD SIGN TO REMAIN (MESSAGE: PARK, PARKING) |
| DE21 | REMOVE EMERGENCY BANNER |

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN

KEYPLAN




1 BUILDING 1 - FLOOR 3 DEMOLITION PLAN
1/16" = 1'-0"



		CONSULTANT	<div>DESIGNER OF RECORD</div> <div><div>ANDERSON</div><div>13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721</div></div>	STAMP	<div>Office of Construction and Facilities Management</div> <div><div>VA</div><div>U.S. Department of Veterans Affairs.</div></div>	Drawing Title	Phase	Project Title			Project Number
BUILDING 1 - FLOOR 3 DEMOLITION PLAN						100% CONSTRUCTION DOCUMENTS		IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING			636A8-23-101
Approved:						Location 601 HWY 6 WEST, IOWA CITY, IA			Drawing Number		
						Issue Date	Checked	Drawn	1-A7		
						10/10/2024	CZ	CZ			
Revisions:	Date:										

BUILDING 1 FLOOR 3 SIGNAGE SCHEDULE					
ROOM NUMBER	SIGN TYPE	QTY	SIGN MESSAGE	SIGN MESSAGE 2	REMARKS
3C01	IN-14.15	1	LEVEL 3	CANTEEN, CHAPEL, WHOLE HEALTH, VOLUNTARY SERVICES, SURGICAL/SPECIALTY CARE ADMIN.	WALL MOUNTED
3C01	IN-16.51	1	CONFERENCE ROOM	N/A	CEILING MOUNTED
3C02	IN-14.15	1	LEVEL 3	CANTEEN, CHAPEL, WHOLE HEALTH, VOLUNTARY SERVICES, SURGICAL/SPECIALTY CARE ADMIN.	WALL MOUNTED
3CN01	IN-14.15	1	LEVEL 3	CANTEEN, CHAPEL, WHOLE HEALTH, VOLUNTARY SERVICES, SURGICAL/SPECIALTY CARE ADMIN.	WALL MOUNTED
3CN01	IN-14.15	1	LEVEL 3	CANTEEN, CHAPEL, WHOLE HEALTH, VOLUNTARY SERVICES, SURGICAL/SPECIALTY CARE ADMIN.	WALL MOUNTED
3CS01	IN-16.51	1	CANTEEN	N/A	CEILING MOUNTED
3CS01	SIGN 6.1	1	3CS02-3S08 (RIGHT ARROW), CANTEEN	3E01-3E26 (STRAIGHT ARROW)	WALL MOUNTED
3CS01	SIGN 6.1	1	3W01-3W30 (STRAIGHT ARROW), CHAPEL, VOLUNTARY SERVICES, WHOLE HEALTH	3CS02-3S08 (LEFT ARROW), CANTEEN	WALL MOUNTED
3CW01	SIGN 6.1	1	3E01-3E26 (RIGHT ARROW) (CANTEEN)	3W01-3W30 (LEFT ARROW), CHAPEL, VOLUNTARY SERVICES, WHOLE HEALTH	WALL MOUNTED
3CW02	SIGN 6.1	1	3E01-3E26 (RIGHT ARROW), CANTEEN	3W11-3W19 (LEFT ARROW), CHAPEL, VOLUNTARY SERVICES, WHOLE HEALTH	WALL MOUNTED
3CW02	IN-16.51	1	COMPUTER ROOMS, MEAL TICKETS	COMPUTER ROOMS, MEAL TICKETS	CEILING MOUNTED, DOUBLE SIDED
3CW02	SIGN 6.1	1	3W17-3W30 (STRAIGHT ARROW), CHAPEL, VOLUNTARY SERVICES, WHOLE HEALTH	N/A	WALL MOUNTED
3ST13	SIGN 3.7	1	STAIRS	3ST13	WALL MOUNTED
3ST13	SIGN 3.6	1	STAIRWELL 13	3 3-13, NO ROOF ACCESS, EXIT 1ST FLOOR	WALL MOUNTED
3W19	SIGN 6.1	1	LEVEL 3	CANTEEN, CHAPEL, WHOLE HEALTH, VOLUNTARY SERVICES, SURGICAL/SPECIALTY CARE ADMIN.	WALL MOUNTED



SIGNAGE GENERAL NOTES


1. DETAIL DRAWINGS PERTAIN TO SIGNAGE IN ALL BUILDINGS INCLUDED IN THE SCOPE OF WORK.
2. ALL SIGNAGE IDENTIFYING PERMANENT ROOMS SHALL COMPLY WITH 2010 STANDARD FOR ACCESSIBLE DESIGN.
3. ALL PERMANENT ROOM SIGNAGE TO HAVE TOP SECTION RAISED TEXT AND LOWER SECTION BRAILLE. BRAILLE TO BE GRADE 2.
4. ALL ROOM IDENTIFICATION SIGNS TO BE MOUNTED ON LATCH SIDE OF DOOR UNLESS NOTED OTHERWISE. IF NO SPACE EXISTS ON LATCH SIDE MOUNT SIGN TO THE NEAREST ADJACENT WALL. SIGNS MUST BE 2" FROM DOOR JAMB WITH 18" CLEAR FLOOR SPACE FROM CENTER OF SIGN.
5. ALL SIGN TEXT AND NUMBERING SUBJECT TO FINAL APPROVAL BY OWNER.
6. ALL SIGNS MOUNTED TO GLASS TO HAVE GLASS BACKER.
7. SIGNS TO BE MOUNTED ACCORDING TO MANUFACTURERS INSTALLATION INSTRUCTIONS AND MATERIALS.
8. SIGN DETAILS ARE FOR REFERENCE ONLY. ACTUAL DESIGN TO BE PROVIDED BY THE VENDOR, FOLLOWING FACILITY STANDARD, AND SUBJECT TO OWNER APPROVAL.
9. REINSTALL CEILING SYSTEMS REMOVED AND SALVAGED DURING DEMOLITION. REPLACE ANY DAMAGED CEILING FINISHES IN-KIND WITH EXISTING.
10. WHERE WALL COVERING WAS REMOVED, PATCH AND PAINT WALLS TO MATCH EXISTING PAINT.

SIGNAGE KEYED NOTES


- S1 DOOR MOUNTED.
- S2 CEILING MOUNTED.
- S3 ADJUST DIRECTORY LOCATION AS NECESSARY.
- S4 NOT USED.
- S5 WALKWAY TO BUILDING 1, LEVEL 1.
- S6 WALKWAY TO BUILDING 1, BASEMENT LEVEL.
- S7 WALKWAY INTO BUILDING 2.
- S8 WALKWAY TO BUILDING 50.
- S9 CONNECTION TO BUILDING 40.
- S10 BUILDING 41.
- S11 BUILDING 42.
- S12 BUILDING 41 ROOF ACCESS.
- S13 RESERVED STALLS 1.1-1.23
- S14 RESERVED STALLS 1.24-1.45
- S15 RESERVED STALLS 1.46-1.53
- S16 RESERVED STALLS 2.1-2.40
- S17 RESERVED STALLS 2.41-74
- S18 RESERVED STALLS 2.75-2.105
- S19 RESERVED STALLS 3.1-3.20
- S20 RESERVED STALLS 3.21-3.51
- S21 RESERVED STALLS 3.52-3.84
- S22 RESERVED STALLS 4.1-4.20
- S23 RESERVED STALLS 4.21-4.61

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN

KEYPLAN



1 BUILDING 1 - FLOOR 3 SIGNAGE PLAN
1/16" = 1'-0"



CONSULTANT		DESIGNER OF RECORD		STAMP		Office of Construction and Facilities Management		Drawing Title BUILDING 1 - FLOOR 3 SIGNAGE PLAN		Phase 100% CONSTRUCTION DOCUMENTS		Project Title IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING		Project Number 636A8-23-101	
		ANDERSON				U.S. Department of Veterans Affairs		Approved:				Location 601 HWY 6 WEST, IOWA CITY, IA		Building Number 1	
Revisions:		Date:										Issue Date 10/10/2024		Checked CZ	
												Drawn CZ		Drawing Number 1-A8	

A

B

C

D

E

F

A

B

C

D

E

F


DEMOLITION GENERAL NOTES

1. CONTRACTOR SHALL COORDINATE ALL DEMOLITION WORK, PHASING AND SEQUENCING WITH THE OWNER. ANY INFORMATION REGARDING SEQUENCING PROVIDED IN THESE DOCUMENTS IS FOR ARCHITECT - OWNER PLANNING PURPOSES ONLY. UNLESS NOTED OTHERWISE.
2. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING WITH ALL TRADES FOR THE DEMOLITION WORK REQUIRED FOR THIS PROJECT.
3. PATCH AND REPAIR SURFACE TO MATCH EXISTING FINISHES WHERE WALL AND CEILING MOUNTED SIGNAGE IS SCHEDULED TO BE REMOVED. UNLESS NOTED OTHERWISE, WHERE WALLCOVERING OCCURS, PATCH AND PREPARE SURFACE FOR PAINT. PAINT TO MATCH CAMPUS STANDARDS.
4. ALL DISTURBED AREAS, WALLS, PARTITIONS, FLOORS, ETC., DAMAGED BY DEMOLITION WORK SHALL BE PATCHED TO MATCH ADJACENT AREA.
5. OWNER RESERVES THE RIGHT OF FIRST REFUSAL OF ALL SALVAGED ITEMS.
6. SALVAGED ITEMS SCHEDULED FOR REUSE SHALL BE CLEANED, RESTORED AND/OR REFINISHED TO LIKE NEW CONDITION, UNLESS NOTED OTHERWISE.
7. SEE LANDSCAPE ARCHITECTURAL DRAWINGS FOR RELATED DEMOLITION AND PREP WORK.
8. REMOVE AND SALVAGE EXISTING CEILING TILES FOR INSTALLATION OF ABOVE CEILING SIGNAGE SUPPORTS.
9. WHERE WALLCOVERING OCCURS AND SIGNAGE IS REMOVED, REMOVE WALLCOVERING AND PATCH AND PREP WALL FOR PAINT.
10. REMOVE ALL OVERHEAD SIGNAGE IN PARKING RAMP UNLESS OTHERWISE NOTED.

DEMOLITION PLAN KEYED NOTES

- DE1 WAYFINDING SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE2 REMOVE WAYFINDING SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE3 ROOM IDENTIFICATION SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE4 GENERAL AND LIFE SAFETY SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE5 REMOVE GENERAL SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE6 REMOVE TEMPORARY SIGN
- DE7 REMOVE UNUSED SIGN POSTS. PATCH SURFACE
- DE8 REMOVE POST AND PANEL SIGNS. REPLACE
- DE9 REMOVE SIGN. REPLACE
- DE10 REMOVE SIGN. PATCH SURFACE
- DE11 REMOVE SIGN
- DE12 REMOVE DOOR MOUNTED SIGN. PATCH AND PAINT SURFACE TO MATCH EXISTING
- DE13 RELOCATE ITEMS TO SOUTH WALL OR ENCLOSED TACKBOARDS. HAZARD SIGNS, AED SIGN, AND PHONE LIST TO REMAIN
- DE14 REMOVE EXISTING WALLCOVERING WHERE INDICATED. REPAIR WALL AND PAINT SURFACE TO ACCORDING TO CAMPUS STANDARDS
- DE15 REMOVE ADHERED LETTERING FROM CHECK-IN WINDOW
- DE16 REMOVE EMERGENCY DEPARTMENT, HOSPITAL ENTRANCE, AND NO SMOKING SIGNS. REPAIR SURFACE
- DE17 REMOVE CLEARANCE BAR. REPAIR SURFACE
- DE18 OVERHEAD SIGN TO REMAIN (MESSAGE: OUT, DROP-OFF)
- DE19 OVERHEAD SIGN TO REMAIN (MESSAGE: DROP-OFF)
- DE20 OVERHEAD SIGN TO REMAIN (MESSAGE: PARK, PARKING)
- DE21 REMOVE EMERGENCY BANNER

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN




DEMOLITION GENERAL NOTES

1. CONTRACTOR SHALL COORDINATE ALL DEMOLITION WORK, PHASING AND SEQUENCING WITH THE OWNER. ANY INFORMATION REGARDING SEQUENCING PROVIDED IN THESE DOCUMENTS IS FOR ARCHITECT - OWNER PLANNING PURPOSES ONLY. UNLESS NOTED OTHERWISE.
2. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING WITH ALL TRADES FOR THE DEMOLITION WORK REQUIRED FOR THIS PROJECT.
3. PATCH AND REPAIR SURFACE TO MATCH EXISTING FINISHES WHERE WALL AND CEILING MOUNTED SIGNAGE IS SCHEDULED TO BE REMOVED. UNLESS NOTED OTHERWISE. WHERE WALLCOVERING OCCURS, PATCH AND PREPARE SURFACE FOR PAINT. PAINT TO MATCH CAMPUS STANDARDS.
4. ALL DISTURBED AREAS, WALLS, PARTITIONS, FLOORS, ETC. DAMAGED BY DEMOLITION WORK SHALL BE PATCHED TO MATCH ADJACENT AREA.
5. OWNER RESERVES THE RIGHT OF FIRST REFUSAL OF ALL SALVAGED ITEMS.
6. SALVAGED ITEMS SCHEDULED FOR REUSE SHALL BE CLEANED, RESTORED AND/OR REFINISHED TO LIKE NEW CONDITION. UNLESS NOTED OTHERWISE.
7. SEE LANDSCAPE ARCHITECTURAL DRAWINGS FOR RELATED DEMOLITION AND PREP WORK.
8. REMOVE AND SALVAGE EXISTING CEILING TILES FOR INSTALLATION OF ABOVE CEILING SIGNAGE SUPPORTS.
9. WHERE WALLCOVERING OCCURS AND SIGNAGE IS REMOVED, REMOVE WALLCOVERING AND PATCH AND PREP WALL FOR PAINT.
10. REMOVE ALL OVERHEAD SIGNAGE IN PARKING RAMP UNLESS OTHERWISE NOTED.

DEMOLITION PLAN KEYED NOTES


- DE1 WAYFINDING SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE2 REMOVE WAYFINDING SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE3 ROOM IDENTIFICATION SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE4 GENERAL AND LIFE SAFETY SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE5 REMOVE GENERAL SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE6 REMOVE TEMPORARY SIGN
- DE7 REMOVE UNUSED SIGN POSTS. PATCH SURFACE
- DE8 REMOVE POST AND PANEL SIGNS. REPLACE
- DE9 REMOVE SIGN. REPLACE
- DE10 REMOVE SIGN. PATCH SURFACE
- DE11 REMOVE SIGN
- DE12 REMOVE DOOR MOUNTED SIGN. PATCH AND PAINT SURFACE TO MATCH EXISTING
- DE13 RELOCATE ITEMS TO SOUTH WALL OR ENCLOSED TACKBOARDS. HAZARD SIGNS, AED SIGN, AND PHONE LIST TO REMAIN
- DE14 REMOVE EXISTING WALLCOVERING WHERE INDICATED. REPAIR WALL AND PAINT SURFACE TO ACCORDING TO CAMPUS STANDARDS
- DE15 REMOVE ADHERED LETTERING FROM CHECK-IN WINDOW
- DE16 REMOVE EMERGENCY DEPARTMENT, HOSPITAL ENTRANCE, AND NO SMOKING SIGNS. REPAIR SURFACE
- DE17 REMOVE CLEARANCE BAR. REPAIR SURFACE
- DE18 OVERHEAD SIGN TO REMAIN (MESSAGE: OUT, DROP-OFF)
- DE19 OVERHEAD SIGN TO REMAIN (MESSAGE: DROP-OFF)
- DE20 OVERHEAD SIGN TO REMAIN (MESSAGE: PARK, PARKING)
- DE21 REMOVE EMERGENCY BANNER

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN




1 BUILDING 1 - FLOOR 5 DEMOLITION PLAN

1/16" = 1'-0"



KEYPLAN



CONSULTANT		DESIGNER OF RECORD		STAMP		Office of Construction and Facilities Management		Drawing Title		Phase		Project Title		Project Number	
		ANDERSON				U.S. Department of Veterans Affairs		BUILDING 1 - FLOOR 5 DEMOLITION PLAN		100% CONSTRUCTION DOCUMENTS		IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING		636A8-23-101	
		13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721						Approved:				Location 601 HWY 6 WEST, IOWA CITY, IA		Building Number 1	
Revisions:		Date:										Issue Date 10/10/2024		Checked CZ	
												Drawn CZ		Drawing Number 1-A11	

BUILDING 1 FLOOR 5 SIGNAGE SCHEDULE						
ROOM NUMBER	SIGN TYPE	QTY	SIGN MESSAGE	SIGN MESSAGE 2	SIGN MESSAGE 3	REMARKS
5C01	IN-14.15	1	LEVEL 5	DIALYSIS/INFUSION CLINIC, 5W INPATIENT UNIT, 5E INPATIENT UNIT	N/A	WALL MOUNTED
5CE01	SIGN 6.1	1	5E01-5E32 (LEFT ARROW), 5E INPATIENT UNIT	5S01-5S26 (STRAIGHT ARROW), 5W INPATIENT UNIT, DIALYSIS/INFUSION CLINIC		WALL MOUNTED
5CN01	IN-14.15	1	LEVEL 5	DIALYSIS/INFUSION CLINIC, 5W INPATIENT UNIT, 5E INPATIENT UNIT	N/A	WALL MOUNTED
5CN01	IN-14.15	1	LEVEL 5	DIALYSIS/INFUSION CLINIC, 5W INPATIENT UNIT, 5E INPATIENT UNIT	N/A	WALL MOUNTED
5CW01	SIGN 6.1	1	5W01-5W35 (LEFT ARROW), 5W INPATIENT UNIT	5E01-5E32 (RIGHT ARROW), 5E INPATIENT UNIT, DIALYSIS/INFUSION CLINIC	N/A	WALL MOUNTED
5ST13	SIGN 3.6	1	STAIRWELL 13	5, 5-13, NO ROOF ACCESS, EXIT 1ST FLOOR	N/A	WALL MOUNTED
5ST13	SIGN 3.7	1	STAIRS	5ST13	N/A	WALL MOUNTED


SIGNAGE GENERAL NOTES

- DETAIL DRAWINGS PERTAIN TO SIGNAGE IN ALL BUILDINGS INCLUDED IN THE SCOPE OF WORK.
- ALL SIGNAGE IDENTIFYING PERMANENT ROOMS SHALL COMPLY WITH 2010 STANDARD FOR ACCESSIBLE DESIGN.
- ALL PERMANENT ROOM SIGNAGE TO HAVE TOP SECTION RAISED TEXT AND LOWER SECTION BRAILLE. BRAILLE TO BE GRADE 2.
- ALL ROOM IDENTIFICATION SIGNS TO BE MOUNTED ON LATCH SIDE OF DOOR UNLESS NOTED OTHERWISE. IF NO SPACE EXISTS ON LATCH SIDE MOUNT SIGN TO THE NEAREST ADJACENT WALL. SIGNS MUST BE 2" FROM DOOR JAMB WITH 16" CLEAR FLOOR SPACE FROM CENTER OF SIGN.
- ALL SIGN TEXT AND NUMBERING SUBJECT TO FINAL APPROVAL BY OWNER.
- ALL SIGNS MOUNTED TO GLASS TO HAVE GLASS BACKER.
- SIGNS TO BE MOUNTED ACCORDING TO MANUFACTURERS INSTALLATION INSTRUCTIONS AND MATERIALS.
- SIGN DETAILS ARE FOR REFERENCE ONLY. ACTUAL DESIGN TO BE PROVIDED BY THE VENDOR, FOLLOWING FACILITY STANDARD, AND SUBJECT TO OWNER APPROVAL.
- REINSTALL CEILING SYSTEMS REMOVED AND SALVAGED DURING DEMOLITION. REPLACE ANY DAMAGED CEILING FINISHES IN-KIND WITH EXISTING.
- WHERE WALL COVERING WAS REMOVED, PATCH AND PAINT WALLS TO MATCH EXISTING PAINT.

SIGNAGE KEYED NOTES


- S1 DOOR MOUNTED.
- S2 CEILING MOUNTED.
- S3 ADJUST DIRECTORY LOCATION AS NECESSARY.
- S4 NOT USED.
- S5 WALKWAY TO BUILDING 1, LEVEL 1.
- S6 WALKWAY TO BUILDING 1, BASEMENT LEVEL.
- S7 WALKWAY INTO BUILDING 2.
- S8 WALKWAY TO BUILDING 50.
- S9 CONNECTION TO BUILDING 40.
- S10 BUILDING 41.
- S11 BUILDING 42.
- S12 BUILDING 41 ROOF ACCESS.
- S13 RESERVED STALLS 1.1-1.23
- S14 RESERVED STALLS 1.24-1.45
- S15 RESERVED STALLS 1.46-1.53
- S16 RESERVED STALLS 2.1-2.40
- S17 RESERVED STALLS 2.41-74
- S18 RESERVED STALLS 2.75-2.105
- S19 RESERVED STALLS 3.1-3.20
- S20 RESERVED STALLS 3.21-3.51
- S21 RESERVED STALLS 3.52-3.84
- S22 RESERVED STALLS 4.1-4.20
- S23 RESERVED STALLS 4.21-4.61

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN




1 BUILDING 1 - FLOOR 5 SIGNAGE PLAN

1/16" = 1'-0"



KEYPLAN





CONSULTANT		DESIGNER OF RECORD		STAMP		Office of Construction and Facilities Management		Drawing Title		Phase		Project Title		Project Number	
		ANDERSON				U.S. Department of Veterans Affairs		BUILDING 1 - FLOOR 5 SIGNAGE PLAN		100% CONSTRUCTION DOCUMENTS		IOWA CITY VAMC		636A8-23-101	
		13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721						Approved:				UPDATE SIGNAGE AND WAYFINDING		Building Number 1	
Revisions:		Date:										Location 601 HWY 6 WEST, IOWA CITY, IA		Drawing Number	
												Issue Date 10/10/2024		Checked CZ	
												Drawn CZ		1-A12	

10/10/2024 11:33:25 AM

C:\Users\czupar\Documents\17721 IA VA Signage_R23_csupar\AMEX.rvt

- NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN



		CONSULTANT	DESIGNER OF RECORD	STAMP	<div>Office of Construction and Facilities Management</div>	Drawing Title	Project Title	Phase	Project Title	Project Number	
						BUILDING 1 - FLOOR 7 DEMOLITION PLAN	100% CONSTRUCTION DOCUMENTS	IOWA CITY VAMC	636A8-23-101		
								UPDATE SIGNAGE AND WAYFINDING	Building Number		
									1		
									Drawing Number		
									1-A13		
Revisions:	Date:					Approved:			Location		
									601 HWY 6 WEST, IOWA CITY, IA		
									Issue Date	Checked	Drawn
									10/10/2024	CZ	CZ

BUILDING 1 FLOOR 7 SIGNAGE SCHEDULE					
ROOM NUMBER	SIGN TYPE	QTY	SIGN MESSAGE	SIGN MESSAGE 2	REMARKS
7C01	IN-14.15	1	LEVEL 7	7E INPATIENT UNIT, 7W INPATIENT UNIT	WALL MOUNTED
7CE01	SIGN 6.1	1	7W06-7W34 (RIGHT ARROW), 7W INPATIENT UNIT	7E01-7E37 (LEFT ARROW), 7E INPATIENT UNIT	WALL MOUNTED
7CN01	IN-14.15	2	LEVEL 7	7E INPATIENT UNIT, 7W INPATIENT UNIT	WALL MOUNTED
7CW01	SIGN 6.1	1	7W06-7W34 (LEFT ARROW), 7W INPATIENT UNIT	7E01-7E37 (RIGHT ARROW), 7E INPATIENT UNIT	WALL MOUNTED
7ST13	SIGN 3.6	1	STAIRWELL 13	7, 7-13, NO ROOF ACCESS, EXIT 1ST FLOOR	WALL MOUNTED
7ST13	SIGN 3.7	1	STAIRS	7ST13	WALL MOUNTED


SIGNAGE GENERAL NOTES

1. DETAIL DRAWINGS PERTAIN TO SIGNAGE IN ALL BUILDINGS INCLUDED IN THE SCOPE OF WORK.
2. ALL SIGNAGE IDENTIFYING PERMANENT ROOMS SHALL COMPLY WITH 2010 STANDARD FOR ACCESSIBLE DESIGN.
3. ALL PERMANENT ROOM SIGNAGE TO HAVE TOP SECTION RAISED TEXT AND LOWER SECTION BRAILLE. BRAILLE TO BE GRADE 2.
4. ALL ROOM IDENTIFICATION SIGNS TO BE MOUNTED ON LATCH SIDE OF DOOR UNLESS NOTED OTHERWISE. IF NO SPACE EXISTS ON LATCH SIDE MOUNT SIGN TO THE NEAREST ADJACENT WALL. SIGNS MUST BE 2" FROM DOOR JAMB WITH 16" CLEAR FLOOR SPACE FROM CENTER OF SIGN.
5. ALL SIGN TEXT AND NUMBERING SUBJECT TO FINAL APPROVAL BY OWNER.
6. ALL SIGNS MOUNTED TO GLASS TO HAVE GLASS BACKER.
7. SIGNS TO BE MOUNTED ACCORDING TO MANUFACTURERS INSTALLATION INSTRUCTIONS AND MATERIALS.
8. SIGN DETAILS ARE FOR REFERENCE ONLY. ACTUAL DESIGN TO BE PROVIDED BY THE VENDOR, FOLLOWING FACILITY STANDARD, AND SUBJECT TO OWNER APPROVAL.
9. REINSTALL CEILING SYSTEMS REMOVED AND SALVAGED DURING DEMOLITION. REPLACE ANY DAMAGED CEILING FINISHES IN-KIND WITH EXISTING.
10. WHERE WALL COVERING WAS REMOVED, PATCH AND PAINT WALLS TO MATCH EXISTING PAINT.

SIGNAGE KEYED NOTES


- S1 DOOR MOUNTED.
- S2 CEILING MOUNTED.
- S3 ADJUST DIRECTORY LOCATION AS NECESSARY.
- S4 NOT USED.
- S5 WALKWAY TO BUILDING 1, LEVEL 1.
- S6 WALKWAY TO BUILDING 1, BASEMENT LEVEL.
- S7 WALKWAY INTO BUILDING 2.
- S8 WALKWAY TO BUILDING 50.
- S9 CONNECTION TO BUILDING 40.
- S10 BUILDING 41.
- S11 BUILDING 42.
- S12 BUILDING 41 ROOF ACCESS.
- S13 RESERVED STALLS 1.1-1.23
- S14 RESERVED STALLS 1.24-1.45
- S15 RESERVED STALLS 1.46-1.53
- S16 RESERVED STALLS 2.1-2.40
- S17 RESERVED STALLS 2.41-74
- S18 RESERVED STALLS 2.75-2.105
- S19 RESERVED STALLS 3.1-3.20
- S20 RESERVED STALLS 3.21-3.51
- S21 RESERVED STALLS 3.52-3.84
- S22 RESERVED STALLS 4.1-4.20
- S23 RESERVED STALLS 4.21-4.61

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN




1 BUILDING 1 - FLOOR 7 SIGNAGE PLAN

1/16" = 1'-0"




KEYPLAN



CONSULTANT		DESIGNER OF RECORD		STAMP		Office of Construction and Facilities Management		Drawing Title		Phase		Project Title		Project Number	
		ANDERSON				U.S. Department of Veterans Affairs		BUILDING 1 - FLOOR 7 SIGNAGE PLAN		100% CONSTRUCTION DOCUMENTS		IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING		636A8-23-101	
		13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721						Approved:				Location 601 HWY 6 WEST, IOWA CITY, IA		Building Number 1	
Revisions:		Date:										Issue Date 10/10/2024		Checked CZ	
												Drawn CZ		Drawing Number 1-A14	

10/10/2024 11:33:29 AM

C:\Users\czupar\Documents\17721 IA VA Signage_R23_csupar\AMEX.cvt



DEMOLITION GENERAL NOTES

- CONTRACTOR SHALL COORDINATE ALL DEMOLITION WORK, PHASING AND SEQUENCING WITH THE OWNER. ANY INFORMATION REGARDING SEQUENCING PROVIDED IN THESE DOCUMENTS IS FOR ARCHITECT - OWNER PLANNING PURPOSES ONLY, UNLESS NOTED OTHERWISE.
- CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING WITH ALL TRADES FOR THE DEMOLITION WORK REQUIRED FOR THIS PROJECT.
- PATCH AND REPAIR SURFACE TO MATCH EXISTING FINISHES WHERE WALL AND CEILING MOUNTED SIGNAGE IS SCHEDULED TO BE REMOVED, UNLESS NOTED OTHERWISE. WHERE WALLCOVERING OCCURS, PATCH AND PREPARE SURFACE FOR PAINT. PAINT TO MATCH CAMPUS STANDARDS.
- ALL DISTURBED AREAS, WALLS, PARTITIONS, FLOORS, ETC. DAMAGED BY DEMOLITION WORK SHALL BE PATCHED TO MATCH ADJACENT AREA.
- OWNER RESERVES THE RIGHT OF FIRST REFUSAL OF ALL SALVAGED ITEMS.
- SALVAGED ITEMS SCHEDULED FOR REUSE SHALL BE CLEANED, RESTORED AND/OR REFINISHED TO LIKE NEW CONDITION, UNLESS NOTED OTHERWISE.
- SEE LANDSCAPE ARCHITECTURAL DRAWINGS FOR RELATED DEMOLITION AND PREP WORK.
- REMOVE AND SALVAGE EXISTING CEILING TILES FOR INSTALLATION OF ABOVE CEILING SIGNAGE SUPPORTS.
- WHERE WALLCOVERING OCCURS AND SIGNAGE IS REMOVED, REMOVE WALLCOVERING AND PATCH AND PREP WALL FOR PAINT.
- REMOVE ALL OVERHEAD SIGNAGE IN PARKING RAMP UNLESS OTHERWISE NOTED.

DEMOLITION PLAN KEYED NOTES

- DE1 WAYFINDING SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE2 REMOVE WAYFINDING SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE3 ROOM IDENTIFICATION SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE4 GENERAL AND LIFE SAFETY SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE5 REMOVE GENERAL SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE6 REMOVE TEMPORARY SIGN
- DE7 REMOVE UNUSED SIGN POSTS. PATCH SURFACE
- DE8 REMOVE POST AND PANEL SIGNS. REPLACE
- DE9 REMOVE SIGN. REPLACE
- DE10 REMOVE SIGN. PATCH SURFACE
- DE11 REMOVE SIGN
- DE12 REMOVE DOOR MOUNTED SIGN. PATCH AND PAINT SURFACE TO MATCH EXISTING
- DE13 RELOCATE ITEMS TO SOUTH WALL OR ENCLOSED TACKBOARDS. HAZARD SIGNS, AED SIGN, AND PHONE LIST TO REMAIN
- DE14 REMOVE EXISTING WALLCOVERING WHERE INDICATED. REPAIR WALL AND PAINT SURFACE TO ACCORDING TO CAMPUS STANDARDS
- DE15 REMOVE ADHERED LETTERING FROM CHECK-IN WINDOW
- DE16 REMOVE EMERGENCY DEPARTMENT, HOSPITAL ENTRANCE, AND NO SMOKING SIGNS. REPAIR SURFACE
- DE17 REMOVE CLEARANCE BAR. REPAIR SURFACE
- DE18 OVERHEAD SIGN TO REMAIN (MESSAGE: OUT, DROP-OFF)
- DE19 OVERHEAD SIGN TO REMAIN (MESSAGE: DROP-OFF)
- DE20 OVERHEAD SIGN TO REMAIN (MESSAGE: PARK, PARKING)
- DE21 REMOVE EMERGENCY BANNER


NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN

1 BUILDING 1 - FLOOR 8 DEMOLITION PLAN

1/16" = 1'-0"

0 4' 8' 16'

KEYPLAN



		CONSULTANT	<div></div>	DESIGNER OF RECORD	<div><div>ANDERSON</div><div>13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721</div></div>	STAMP	<div>Office of Construction and Facilities Management</div>	Drawing Title	Phase	Project Title	Project Number
								BUILDING 1 - FLOOR 8 DEMOLITION PLAN	100% CONSTRUCTION DOCUMENTS	IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING	636A8-23-101
											Building Number
											1
										Location	Drawing Number
										601 HWY 6 WEST, IOWA CITY, IA	1-A15
				Approved:				Issue Date	Checked	Drawn	
								10/10/2024	CZ	CZ	
Revisions:		Date:									

BUILDING 1 FLOOR 8 SIGNAGE SCHEDULE					
ROOM NUMBER	SIGN TYPE	QTY	SIGN MESSAGE	SIGN MESSAGE 2	REMARKS
8C01	IN-14.15	1	LEVEL 8	CHEMOTHERAPY/INFUSION, HEMATOLOGY/ONCOLOGY CLINIC, GI/ENDOSCOPY CLINIC	WALL MOUNTED
8CN01	IN-14.15	1	LEVEL 8	CHEMOTHERAPY/INFUSION, HEMATOLOGY/ONCOLOGY CLINIC, GI/ENDOSCOPY CLINIC	WALL MOUNTED
8CN01	IN-14.15	1	LEVEL 8	CHEMOTHERAPY/INFUSION, HEMATOLOGY/ONCOLOGY CLINIC, GI/ENDOSCOPY CLINIC	WALL MOUNTED
8CW01	SIGN 6.1	1	8E01-8E42 (LEFT ARROW), GI/ENDOSCOPY	8W01-8W25 (RIGHT ARROW), CHEMOTHERAPY/INFUSION, HEMATOLOGY/ONCOLOGY CLINIC	WALL MOUNTED, (DEDUCT)
8CW01	SIGN 6.1	1	8W01-8W25 (LEFT ARROW), CHEMOTHERAPY/INFUSION, HEMATOLOGY/ONCOLOGY CLINIC	8E01-8E42 (RIGHT ARROW), GI/ENDOSCOPY	WALL MOUNTED, (DEDUCT)
8ST13	SIGN 3.6	1	STAIRWELL 13	8, 8-13, NO ROOF ACCESS, EXIT 1ST FLOOR	WALL MOUNTED
8ST13	SIGN 3.7	1	STAIRS	8ST13	WALL MOUNTED


SIGNAGE GENERAL NOTES

1. DETAIL DRAWINGS PERTAIN TO SIGNAGE IN ALL BUILDINGS INCLUDED IN THE SCOPE OF WORK.
2. ALL SIGNAGE IDENTIFYING PERMANENT ROOMS SHALL COMPLY WITH 2010 STANDARD FOR ACCESSIBLE DESIGN.
3. ALL PERMANENT ROOM SIGNAGE TO HAVE TOP SECTION RAISED TEXT AND LOWER SECTION BRAILLE. BRAILLE TO BE GRADE 2.
4. ALL ROOM IDENTIFICATION SIGNS TO BE MOUNTED ON LATCH SIDE OF DOOR. UNLESS NOTED OTHERWISE. IF NO SPACE EXISTS ON LATCH SIDE MOUNT SIGN TO THE NEAREST ADJACENT WALL. SIGNS MUST BE 2" FROM DOOR JAMB WITH 18" CLEAR FLOOR SPACE FROM CENTER OF SIGN.
5. ALL SIGN TEXT AND NUMBERING SUBJECT TO FINAL APPROVAL BY OWNER.
6. ALL SIGNS MOUNTED TO GLASS TO HAVE GLASS BACKER.
7. SIGNS TO BE MOUNTED ACCORDING TO MANUFACTURERS INSTALLATION INSTRUCTIONS AND MATERIALS.
8. SIGN DETAILS ARE FOR REFERENCE ONLY. ACTUAL DESIGN TO BE PROVIDED BY THE VENDOR, FOLLOWING FACILITY STANDARD, AND SUBJECT TO OWNER APPROVAL.
9. REINSTALL CEILING SYSTEMS REMOVED AND SALVAGED DURING DEMOLITION. REPLACE ANY DAMAGED CEILING FINISHES IN-KIND WITH EXISTING.
10. WHERE WALL COVERING WAS REMOVED, PATCH AND PAINT WALLS TO MATCH EXISTING PAINT.


SIGNAGE KEYED NOTES

- S1 DOOR MOUNTED.
- S2 CEILING MOUNTED.
- S3 ADJUST DIRECTORY LOCATION AS NECESSARY.
- S4 NOT USED.
- S5 WALKWAY TO BUILDING 1, LEVEL 1.
- S6 WALKWAY TO BUILDING 1, BASEMENT LEVEL.
- S7 WALKWAY INTO BUILDING 2.
- S8 WALKWAY TO BUILDING 50.
- S9 CONNECTION TO BUILDING 40.
- S10 BUILDING 41.
- S11 BUILDING 42.
- S12 BUILDING 41 ROOF ACCESS.
- S13 RESERVED STALLS 1.1-1.23
- S14 RESERVED STALLS 1.24-1.45
- S15 RESERVED STALLS 1.46-1.53
- S16 RESERVED STALLS 2.1-2.40
- S17 RESERVED STALLS 2.41-74
- S18 RESERVED STALLS 2.75-2.105
- S19 RESERVED STALLS 3.1-3.20
- S20 RESERVED STALLS 3.21-3.51
- S21 RESERVED STALLS 3.52-3.84
- S22 RESERVED STALLS 4.1-4.20
- S23 RESERVED STALLS 4.21-4.61


NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN



1 BUILDING 1 - FLOOR 8 SIGNAGE PLAN
1/16" = 1'-0"



KEYPLAN



		CONSULTANT	DESIGNER OF RECORD	STAMP	Office of Construction and Facilities Management	Drawing Title BUILDING 1 - FLOOR 8 SIGNAGE PLAN	Phase 100% CONSTRUCTION DOCUMENTS	Project Title IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING	Project Number 636A8-23-101	
										Building Number 1
							</			

10/10/2024 11:33:32 AM

C:\Users\czupar\Documents\17721 IA VA Signage_R23_csupar\AMEX.rvt



DEMOLITION GENERAL NOTES


1. CONTRACTOR SHALL COORDINATE ALL DEMOLITION WORK, PHASING AND SEQUENCING WITH THE OWNER. ANY INFORMATION REGARDING SEQUENCING PROVIDED IN THESE DOCUMENTS IS FOR ARCHITECT - OWNER PLANNING PURPOSES ONLY, UNLESS NOTED OTHERWISE.
2. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING WITH ALL TRADES FOR THE DEMOLITION WORK REQUIRED FOR THIS PROJECT.
3. PATCH AND REPAIR SURFACE TO MATCH EXISTING FINISHES WHERE WALL AND CEILING MOUNTED SIGNAGE IS SCHEDULED TO BE REMOVED, UNLESS NOTED OTHERWISE. WHERE WALLCOVERING OCCURS, PATCH AND PREPARE SURFACE FOR PAINT. PAINT TO MATCH CAMPUS STANDARDS.
4. ALL DISTURBED AREAS, WALLS, PARTITIONS, FLOORS, ETC, DAMAGED BY DEMOLITION WORK SHALL BE PATCHED TO MATCH ADJACENT AREA.
5. OWNER RESERVES THE RIGHT OF FIRST REFUSAL OF ALL SALVAGED ITEMS.
6. SALVAGED ITEMS SCHEDULED FOR REUSE SHALL BE CLEANED, RESTORED AND/OR REFINISHED TO LIKE NEW CONDITION, UNLESS NOTED OTHERWISE.
7. SEE LANDSCAPE ARCHITECTURAL DRAWINGS FOR RELATED DEMOLITION AND PREP WORK.
8. REMOVE AND SALVAGE EXISTING CIELING TILES FOR INSTALLATION OF ABOVE CIELING SIGNAGE SUPPORTS.
9. WHERE WALLCOVERING OCCURS AND SIGNAGE IS REMOVED, REMOVE WALLCOVERING AND PATCH AND PREP WALL FOR PAINT.
10. REMOVE ALL OVERHEAD SIGNAGE IN PARKING RAMP UNLESS OTHERWISE NOTED.

DEMOLITION PLAN KEYED NOTES

- DE1 WAYFINDING SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE2 REMOVE WAYFINDING SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE3 ROOM IDENTIFICATION SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE4 GENERAL AND LIFE SAFETY SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE5 REMOVE GENERAL SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE6 REMOVE TEMPORARY SIGN
- DE7 REMOVE UNUSED SIGN POSTS. PATCH SURFACE
- DE8 REMOVE POST AND PANEL SIGNS. REPLACE
- DE9 REMOVE SIGN. REPLACE
- DE10 REMOVE SIGN. PATCH SURFACE
- DE11 REMOVE SIGN
- DE12 REMOVE DOOR MOUNTED SIGN. PATCH AND PAINT SURFACE TO MATCH EXISTING
- DE13 RELOCATE ITEMS TO SOUTH WALL OR ENCLOSED TACKBOARDS. HAZARD SIGNS, AED SIGN, AND PHONE LIST TO REMAIN
- DE14 REMOVE EXISTING WALLCOVERING WHERE INDICATED. REPAIR WALL AND PAINT SURFACE TO ACCORDING TO CAMPUS STANDARDS
- DE15 REMOVE ADHERED LETTERING FROM CHECK-IN WINDOW
- DE16 REMOVE EMERGENCY DEPARTMENT, HOSPITAL ENTRANCE, AND NO SMOKING SIGNS. REPAIR SURFACE
- DE17 REMOVE CLEARANCE BAR. REPAIR SURFACE
- DE18 OVERHEAD SIGN TO REMAIN (MESSAGE: OUT, DROP-OFF)
- DE19 OVERHEAD SIGN TO REMAIN (MESSAGE: DROP-OFF)
- DE20 OVERHEAD SIGN TO REMAIN (MESSAGE: PARK, PARKING)
- DE21 REMOVE EMERGENCY BANNER

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN


KEYPLAN





1 BUILDING 2 - FLOOR 1 DEMOLITION PLAN
1/8" = 1'-0"

		CONSULTANT	<div></div>	DESIGNER OF RECORD	<div><div>ANDERSON</div><div>13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721</div></div>	STAMP	<div>Office of Construction and Facilities Management</div>	Drawing Title		Phase		Project Title		Project Number	
								BUILDING 2 - FLOOR 1 DEMOLITION PLAN		100% CONSTRUCTION DOCUMENTS		IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING		636A8-23-101	
								Approved:				Location		Building Number	
												601 HWY 6 WEST, IOWA CITY, IA		2	
												Issue Date		Drawing Number	
												10/10/2024		2-A1	
												Checked			
												CZ			
Revisions:	Date:														

10/10/2024 11:33:37 AM
C:\Users\czupar\Documents\17721 IA VA Signage_R22_csupar\AMEX.cvt
VA FORM 08 - 6231



1 BUILDING 16 - FLOOR 1 DEMOLITION PLAN
1/8" = 1'-0"



2 BUILDING 16 - FLOOR 2 DEMOLITION PLAN
1/8" = 1'-0"



DEMOLITION GENERAL NOTES


1. CONTRACTOR SHALL COORDINATE ALL DEMOLITION WORK, PHASING AND SEQUENCING WITH THE OWNER. ANY INFORMATION REGARDING SEQUENCING PROVIDED IN THESE DOCUMENTS IS FOR ARCHITECT - OWNER PLANNING PURPOSES ONLY, UNLESS NOTED OTHERWISE.
2. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING WITH ALL TRADES FOR THE DEMOLITION WORK REQUIRED FOR THIS PROJECT.
3. PATCH AND REPAIR SURFACE TO MATCH EXISTING FINISHES WHERE WALL AND CEILING MOUNTED SIGNAGE IS SCHEDULED TO BE REMOVED, UNLESS NOTED OTHERWISE. WHERE WALLCOVERING OCCURS, PATCH AND PREPARE SURFACE FOR PAINT. PAINT TO MATCH CAMPUS STANDARDS.
4. ALL DISTURBED AREAS, WALLS, PARTITIONS, FLOORS, ETC. DAMAGED BY DEMOLITION WORK SHALL BE PATCHED TO MATCH ADJACENT AREA.
5. OWNER RESERVES THE RIGHT OF FIRST REFUSAL OF ALL SALVAGED ITEMS.
6. SALVAGED ITEMS SCHEDULED FOR REUSE SHALL BE CLEANED, RESTORED AND/OR REFINISHED TO LIKE NEW CONDITION, UNLESS NOTED OTHERWISE.
7. SEE LANDSCAPE ARCHITECTURAL DRAWINGS FOR RELATED DEMOLITION AND PREP WORK.
8. REMOVE AND SALVAGE EXISTING CEILING TILES FOR INSTALLATION OF ABOVE CEILING SIGNAGE SUPPORTS.
9. WHERE WALLCOVERING OCCURS AND SIGNAGE IS REMOVED, REMOVE WALLCOVERING AND PATCH AND PREP WALL FOR PAINT.
10. REMOVE ALL OVERHEAD SIGNAGE IN PARKING RAMP UNLESS OTHERWISE NOTED.

DEMOLITION PLAN KEYED NOTES

- DE1 WAYFINDING SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE2 REMOVE WAYFINDING SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE3 ROOM IDENTIFICATION SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE4 GENERAL AND LIFE SAFETY SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE5 REMOVE GENERAL SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE6 REMOVE TEMPORARY SIGN
- DE7 REMOVE UNUSED SIGN POSTS. PATCH SURFACE
- DE8 REMOVE POST AND PANEL SIGNS. REPLACE
- DE9 REMOVE SIGN. REPLACE
- DE10 REMOVE SIGN. PATCH SURFACE
- DE11 REMOVE SIGN
- DE12 REMOVE DOOR MOUNTED SIGN. PATCH AND PAINT SURFACE TO MATCH EXISTING
- DE13 RELOCATE ITEMS TO SOUTH WALL OR ENCLOSED TACKBOARDS. HAZARD SIGNS, AED SIGN, AND PHONE LIST TO REMAIN
- DE14 REMOVE EXISTING WALLCOVERING WHERE INDICATED. REPAIR WALL AND PAINT SURFACE TO ACCORDING TO CAMPUS STANDARDS
- DE15 REMOVE ADHERED LETTERING FROM CHECK-IN WINDOW
- DE16 REMOVE EMERGENCY DEPARTMENT, HOSPITAL ENTRANCE, AND NO SMOKING SIGNS. REPAIR SURFACE
- DE17 REMOVE CLEARANCE BAR. REPAIR SURFACE
- DE18 OVERHEAD SIGN TO REMAIN (MESSAGE: OUT, DROP-OFF)
- DE19 OVERHEAD SIGN TO REMAIN (MESSAGE: DROP-OFF)
- DE20 OVERHEAD SIGN TO REMAIN (MESSAGE: PARK, PARKING)
- DE21 REMOVE EMERGENCY BANNER


NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN

KEYPLAN




		CONSULTANT	<div>DESIGNER OF RECORD</div> <div><div>ANDERSON</div><div>13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721</div></div>	STAMP	<div>Office of Construction and Facilities Management</div> <div><div>VA</div><div>U.S. Department of Veterans Affairs</div></div>	Drawing Title	Phase	Project Title		Project Number
BUILDING 16 - FLOOR 1 & 2 DEMOLITION PLANS						100% CONSTRUCTION DOCUMENTS		IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING		636A8-23-101
Approved:								Location 601 HWY 6 WEST, IOWA CITY, IA		Building Number 16
								Issue Date 10/10/2024	Checked CZ	Drawn CZ
								Drawing Number 16-A1		
Revisions:		Date:								

C:\Users\czupar\Documents\17721 IA VA Signage_R22_csupar\AMEX.cvt 10/10/2024 11:38:36 AM



1 BUILDING 16 - FLOOR 1 SIGNAGE PLAN
1/8" = 1'-0"




2 BUILDING 16 - FLOOR 2 SIGNAGE PLAN
1/8" = 1'-0"


BUILDING 16 SIGNAGE SCHEDULE					
ROOM NUMBER	SIGN TYPE	QTY	SIGN MESSAGE	SIGN MESSAGE 2	REMARKS
01-16	SIGN 10.4	1	FIRE EXTINGUISHER	N/A	WALL MOUNTED
01ST-16	SIGN 10.4	1	FIRE EXTINGUISHER	N/A	WALL MOUNTED
02-16	SIGN 1.2	1	02-16	ELECTRICAL	WALL MOUNTED
03-16	IN-09.03	1	03-16	RESTROOM	WALL MOUNTED
05-16	SIGN 1.0	1	N/A	N/A	EXACT LOCATION TO BE DETERMINED AT TIME OF INSTALL
06-16	SIGN 1.1	1	06-16	STORAGE	WALL MOUNTED
07-16	IN-08.02	1	AUTHORIZED PERSONNEL ONLY	N/A	WALL MOUNTED
07-16	SIGN 1.2	1	07-16	IT	WALL MOUNTED
07A-16	SIGN 1.1	2	07A-16	ELECTRICAL	WALL MOUNTED
08-16	SIGN 10.4	2	FIRE EXTINGUISHER	N/A	WALL MOUNTED

- ### SIGNAGE GENERAL NOTES
1. DETAIL DRAWINGS PERTAIN TO SIGNAGE IN ALL BUILDINGS INCLUDED IN THE SCOPE OF WORK.
 2. ALL SIGNAGE IDENTIFYING PERMANENT ROOMS SHALL COMPLY WITH 2010 STANDARD FOR ACCESSIBLE DESIGN.
 3. ALL PERMANENT ROOM SIGNAGE TO HAVE TOP SECTION RAISED TEXT AND LOWER SECTION BRAILLE. BRAILLE TO BE GRADE 2.
 4. ALL ROOM IDENTIFICATION SIGNS TO BE MOUNTED ON LATCH SIDE OF DOOR UNLESS NOTED OTHERWISE. IF NO SPACE EXISTS ON LATCH SIDE MOUNT SIGN TO THE NEAREST ADJACENT WALL. SIGNS MUST BE 2" FROM DOOR JAMB WITH 18" CLEAR FLOOR SPACE FROM CENTER OF SIGN.
 5. ALL SIGN TEXT AND NUMBERING SUBJECT TO FINAL APPROVAL BY OWNER.
 6. ALL SIGNS MOUNTED TO GLASS TO HAVE GLASS BACKER.
 7. SIGNS TO BE MOUNTED ACCORDING TO MANUFACTURERS INSTALLATION INSTRUCTIONS AND MATERIALS.
 8. SIGN DETAILS ARE FOR REFERENCE ONLY. ACTUAL DESIGN TO BE PROVIDED BY THE VENDOR, FOLLOWING FACILITY STANDARD, AND SUBJECT TO OWNER APPROVAL.
 9. REINSTALL CEILING SYSTEMS REMOVED AND SALVAGED DURING DEMOLITION. REPLACE ANY DAMAGED CEILING FINISHES IN-KIND WITH EXISTING.
 10. WHERE WALL COVERING WAS REMOVED, PATCH AND PAINT WALLS TO MATCH EXISTING PAINT.

- ### SIGNAGE KEYED NOTES
- S1 DOOR MOUNTED.
 - S2 CEILING MOUNTED.
 - S3 ADJUST DIRECTORY LOCATION AS NECESSARY.
 - S4 NOT USED.
 - S5 WALKWAY TO BUILDING 1, LEVEL 1.
 - S6 WALKWAY TO BUILDING 1, BASEMENT LEVEL.
 - S7 WALKWAY INTO BUILDING 2.
 - S8 WALKWAY TO BUILDING 50.
 - S9 CONNECTION TO BUILDING 40.
 - S10 BUILDING 41.
 - S11 BUILDING 42.
 - S12 BUILDING 41 ROOF ACCESS.
 - S13 RESERVED STALLS 1.1-1.23
 - S14 RESERVED STALLS 1.24-1.45
 - S15 RESERVED STALLS 1.46-1.53
 - S16 RESERVED STALLS 2.1-2.40
 - S17 RESERVED STALLS 2.41-74
 - S18 RESERVED STALLS 2.75-2.105
 - S19 RESERVED STALLS 3.1-3.20
 - S20 RESERVED STALLS 3.21-3.51
 - S21 RESERVED STALLS 3.52-3.84
 - S22 RESERVED STALLS 4.1-4.20
 - S23 RESERVED STALLS 4.21-4.61
- NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN



		CONSULTANT	<div>DESIGNER OF RECORD</div> <div><div>ANDERSON</div><div>13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721</div></div>	STAMP	<div>Office of Construction and Facilities Management</div> <div>VAU.S. Department of Veterans Affairs</div>	Drawing Title	Phase	Project Title	Project Number
						BUILDING 16 - FLOOR 1 & 2 SIGNAGE PLANS	100% CONSTRUCTION DOCUMENTS	IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING	636A8-23-101
									Building Number
									16
								Location	Drawing Number
								601 HWY 6 WEST, IOWA CITY, IA	16-A2
								Issue Date	
								10/10/2024	
								Checked	Drawn
								CZ	CZ
Revisions:	Date:								



$$1/8'' = 1'-0''$$


1. CONTRACTOR SHALL COORDINATE ALL DEMOLITION WORK, PHASING AND SEQUENCING WITH THE OWNER. ANY INFORMATION REGARDING SEQUENCING PROVIDED BY THE OWNER IS FOR ARCHITECT - OWNER PLANNING PURPOSES ONLY, UNLESS NOTED OTHERWISE.
2. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING WITH ALL TRADES FOR THE DEMOLITION WORK REQUIRED FOR THIS PROJECT.
3. PATCH AND REPAIR SURFACE TO MATCH EXISTING FINISHES WHERE WALL AND CEILING MOUNTED SIGNAGE IS SCHEDULED TO BE REMOVED, UNLESS NOTED OTHERWISE. WHERE WALL MOUNTED SIGNAGE OCCURS, PATCH AND PREPARE SURFACE TO PAINT TO MATCH CAMPUS STANDARDS.
4. ALL DISTURBED AREAS, WALLS, PARTITIONS, FLOORS, ETC. DAMAGED BY DEMOLITION WORK SHALL BE PATCHED TO MATCH ADJACENT AREA.
5. OWNER RESERVES THE RIGHT OF FIRST REFUSAL OF ALL SALVAGED ITEMS.
6. SALVAGED ITEMS SCHEDULED FOR REUSE SHALL BE CLEANED, RESTORED AND/OR REFINISHED TO LIKE NEW CONDITION, UNLESS NOTED OTHERWISE.
7. SEE LANDSCAPE ARCHITECTURAL DRAWINGS FOR RELATED DEMOLITION AND PREP WORK.
8. REMOVE AND SALVAGE EXISTING CEILING TILES FOR INSTALLATION OF ABOVE CEILING SIGNAGE SUPPORTS.
9. WHERE WALLCOVERING OCCURS AND SIGNAGE IS REMOVED, REMOVE WALLCOVERING AND PATCH AND PREP WALL FOR PAINT.
10. REMOVE ALL OVERHEAD SIGNAGE IN PARKING RAMP UNLESS OTHERWISE NOTED.

DE1	WAYFINDING SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
DE2	REMOVE WAYFINDING SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
DE3	ROOM IDENTIFICATION SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
DE4	GENERAL AND LIFE SAFETY SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
DE5	REMOVE GENERAL SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
DE6	REMOVE TEMPORARY SIGN
DE7	REMOVE UNUSED SIGN POSTS. PATCH SURFACE
DE8	REMOVE POST AND PANEL SIGNS. REPLACE
DE9	REMOVE SIGN. REPLACE
DE10	REMOVE SIGN. PATCH SURFACE
DE11	REMOVE SIGN
DE12	REMOVE DOOR MOUNTED SIGN. PATCH AND PAINT SURFACE TO MATCH EXISTING
DE13	RELOCATE ITEMS TO SOUTH WALL OR ENCLOSED TACKBOARDS. HAZARD SIGNS, AED SIGN, AND PHONE LIST TO REMAIN
DE14	REMOVE EXISTING WALLCOVERING WHERE INDICATED. REPAIR WALL AND PAINT SURFACE TO ACCORDING TO CAMPUS STANDARDS
DE15	REMOVE ADHERED LETTERING FROM CHECK-IN WINDOW
DE16	REMOVE EMERGENCY DEPARTMENT, HOSPITAL ENTRANCE, AND NO SMOKING SIGNS. REPAIR SURFACE
DE17	REMOVE CLEARANCE BAR. REPAIR SURFACE
DE18	OVERHEAD SIGN TO REMAIN (MESSAGE: OUT, DROP-OFF)
DE19	OVERHEAD SIGN TO REMAIN (MESSAGE: DROP-OFF)
DE20	OVERHEAD SIGN TO REMAIN (MESSAGE: PARK, PARKING)
DE21	REMOVE EMERGENCY BANNER

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN


VA FORM 08 - 6231									
1	2	3	4	5	6	7	8	9	10




BUILDING 40 BASEMENT SIGNAGE SCHEDULE					
ROOM NUMBER	SIGN TYPE	QTY	SIGN MESSAGE	SIGN MESSAGE 2	REMARKS
B22A	SIGN 1.2	1	B22A	MECHANICAL TUNNEL	WALL MOUNTED
B100	IN-01.04	1	IN CASE OF FIRE, ELEVATORS ARE OUT OF SERVICE	USE EXIT	WALL MOUNTED
B101A	SIGN 1.2	1	B101A	TBD	WALL MOUNTED
B101B	SIGN 1.2	1	B101B	TBD	WALL MOUNTED
B103	SIGN 1.2	1	B103	CUSTODIAL	WALL MOUNTED
B104	SIGN 1.2	1	B104	ELECTRICAL	WALL MOUNTED
B105	SIGN 1.2	1	B105	TBD	WALL MOUNTED
B106	SIGN 1.2	1	B106	TBD	WALL MOUNTED
B107	SIGN 1.1	1	B107	MECHANICAL	WALL MOUNTED (ABOVE CHECK-IN WINDOW)
B107	SIGN 3.8	1	BUILDING 41	ACCESS TO BUILDING 42	DOOR MOUNTED
BST01	SIGN 3.6	1	STAIRWELL 1	B, B-1, NO ROOF ACCESS, EXIT 1ST FLOOR	WALL MOUNTED
BST02	SIGN 3.6	1	STAIRWELL 2	B, B-2, NO ROOF ACCESS, EXIT 1ST FLOOR	WALL MOUNTED
BST02	SIGN 3.7	1	STAIRS	BST02	WALL MOUNTED

- ### SIGNAGE GENERAL NOTES
1. DETAIL DRAWINGS PERTAIN TO SIGNAGE IN ALL BUILDINGS INCLUDED IN THE SCOPE OF WORK.
 2. ALL SIGNAGE IDENTIFYING PERMANENT ROOMS SHALL COMPLY WITH 2010 STANDARD FOR ACCESSIBLE DESIGN.
 3. ALL PERMANENT ROOM SIGNAGE TO HAVE TOP SECTION RAISED TEXT AND LOWER SECTION BRAILLE. BRAILLE TO BE GRADE 2.
 4. ALL ROOM IDENTIFICATION SIGNS TO BE MOUNTED ON LATCH SIDE OF DOOR UNLESS NOTED OTHERWISE. IF NO SPACE EXISTS ON LATCH SIDE MOUNT SIGN TO THE NEAREST ADJACENT WALL. SIGNS MUST BE 2" FROM DOOR JAMB WITH 18" CLEAR FLOOR SPACE FROM CENTER OF SIGN.
 5. ALL SIGN TEXT AND NUMBERING SUBJECT TO FINAL APPROVAL BY OWNER.
 6. ALL SIGNS MOUNTED TO GLASS TO HAVE GLASS BACKER.
 7. SIGNS TO BE MOUNTED ACCORDING TO MANUFACTURERS INSTALLATION INSTRUCTIONS AND MATERIALS.
 8. SIGN DETAILS ARE FOR REFERENCE ONLY. ACTUAL DESIGN TO BE PROVIDED BY THE VENDOR, FOLLOWING FACILITY STANDARD, AND SUBJECT TO OWNER APPROVAL.
 9. REINSTALL CEILING SYSTEMS REMOVED AND SALVAGED DURING DEMOLITION. REPLACE ANY DAMAGED CEILING FINISHES IN-KIND WITH EXISTING.
 10. WHERE WALL COVERING WAS REMOVED, PATCH AND PAINT WALLS TO MATCH EXISTING PAINT.


- ### SIGNAGE KEYED NOTES
- S1 DOOR MOUNTED.
 - S2 CEILING MOUNTED.
 - S3 ADJUST DIRECTORY LOCATION AS NECESSARY.
 - S4 NOT USED.
 - S5 WALKWAY TO BUILDING 1, LEVEL 1.
 - S6 WALKWAY TO BUILDING 1, BASEMENT LEVEL.
 - S7 WALKWAY INTO BUILDING 2.
 - S8 WALKWAY TO BUILDING 50.
 - S9 CONNECTION TO BUILDING 40.
 - S10 BUILDING 41.
 - S11 BUILDING 42.
 - S12 BUILDING 41 ROOF ACCESS.
 - S13 RESERVED STALLS 1.1-1.23
 - S14 RESERVED STALLS 1.24-1.45
 - S15 RESERVED STALLS 1.46-1.53
 - S16 RESERVED STALLS 2.1-2.40
 - S17 RESERVED STALLS 2.41-74
 - S18 RESERVED STALLS 2.75-2.105
 - S19 RESERVED STALLS 3.1-3.20
 - S20 RESERVED STALLS 3.21-3.51
 - S21 RESERVED STALLS 3.52-3.84
 - S22 RESERVED STALLS 4.1-4.20
 - S23 RESERVED STALLS 4.21-4.61
- NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN



		CONSULTANT	<div>DESIGNER OF RECORD</div> <div><div>ANDERSON</div><div>13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721</div></div>	STAMP	<div>Office of Construction and Facilities Management</div> <div>VAU.S. Department of Veterans Affairs</div>	<div>Drawing Title</div> <div>BUILDING 40 - BASEMENT SIGNAGE PLAN</div>	<div>Phase</div> <div>100% CONSTRUCTION DOCUMENTS</div>	<div>Project Title</div> <div>IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING</div>	<div>Project Number</div> <div>636A8-23-101</div>			
						<div>Building Number</div> <div>40</div>						
						<div>Drawing Number</div> <div>40-A2</div>						
<div>Revisions:</div>	<div>Date:</div>					<div>Approved:</div>		<div>Location</div> <div>601 HWY 6 WEST, IOWA CITY, IA</div>	<div>Issue Date</div> <div>10/10/2024</div>	<div>Checked</div> <div>CZ</div>	<div>Drawn</div> <div>CZ</div>	



1 BUILDING 40 - FLOOR 1 SIGNAGE PLAN
1/8" = 1'-0"



BUILDING 40 FLOOR 1 SIGNAGE SCHEDULE					
ROOM NUMBER	SIGN TYPE	QTY	SIGN MESSAGE	SIGN MESSAGE 2	REMARKS
1ST01	SIGN 3.6	1	STAIRWELL 1	1, 1-1, NO ROOF ACCESS, EXIT 1ST FLOOR	WALL MOUNTED
1ST01	SIGN 3.7	1	STAIRS	1ST01	WALL MOUNTED
1ST01	SIGN 3.8	1	BUILDING 40	N/A	WALL MOUNTED
1ST02	SIGN 3.6	1	STAIRWELL 2	2 2-2, NO ROOF ACCESS, EXIT 1ST FLOOR	WALL MOUNTED
1ST02	SIGN 3.7	1	STAIRS	1ST02	WALL MOUNTED
100	IN-01.04	1	IN CASE OF FIRE, ELEVATORS ARE OUT OF SERVICE	USE EXIT	WALL MOUNTED
100	IN-14.15B	1	BUILDING 40	TBD	WALL MOUNTED
101	SIGN 2.1	1	MEN	101	WALL MOUNTED
102	SIGN 2.2	1	WOMEN	102	WALL MOUNTED
104	SIGN 1.2	1	104	LABORATORY	WALL MOUNTED
104A	SIGN 1.2	1	104A	EQUIPMENT	WALL MOUNTED
104B	SIGN 1.2	1	104B	TISSUE CULTURE	WALL MOUNTED
104C	SIGN 1.2	1	104C	FUME HOOD	WALL MOUNTED
104D	SIGN 1.2	1	104D	TISSUE CULTURE	WALL MOUNTED
104E	SIGN 1.2	1	104E	EQUIPMENT	WALL MOUNTED
104F	SIGN 1.2	1	104F	DARK ROOM	WALL MOUNTED

SIGNAGE GENERAL NOTES


1. DETAIL DRAWINGS PERTAIN TO SIGNAGE IN ALL BUILDINGS INCLUDED IN THE SCOPE OF WORK.
2. ALL SIGNAGE IDENTIFYING PERMANENT ROOMS SHALL COMPLY WITH 2010 STANDARD FOR ACCESSIBLE DESIGN.
3. ALL PERMANENT ROOM SIGNAGE TO HAVE TOP SECTION RAISED TEXT AND LOWER SECTION BRAILLE. BRAILLE TO BE GRADE 2.
4. ALL ROOM IDENTIFICATION SIGNS TO BE MOUNTED ON LATCH SIDE OF DOOR UNLESS NOTED OTHERWISE. IF NO SPACE EXISTS ON LATCH SIDE MOUNT SIGN TO THE NEAREST ADJACENT WALL. SIGNS MUST BE 2" FROM DOOR JAMB WITH 18" CLEAR FLOOR SPACE FROM CENTER OF SIGN.
5. ALL SIGN TEXT AND NUMBERING SUBJECT TO FINAL APPROVAL BY OWNER.
6. ALL SIGNS MOUNTED TO GLASS TO HAVE GLASS BACKER.
7. SIGNS TO BE MOUNTED ACCORDING TO MANUFACTURERS INSTALLATION INSTRUCTIONS AND MATERIALS.
8. SIGN DETAILS ARE FOR REFERENCE ONLY. ACTUAL DESIGN TO BE PROVIDED BY THE VENDOR, FOLLOWING FACILITY STANDARD, AND SUBJECT TO OWNER APPROVAL.
9. REINSTALL CEILING SYSTEMS REMOVED AND SALVAGED DURING DEMOLITION. REPLACE ANY DAMAGED CEILING FINISHES IN-KIND WITH EXISTING.
10. WHERE WALL COVERING WAS REMOVED, PATCH AND PAINT WALLS TO MATCH EXISTING PAINT.

SIGNAGE KEYED NOTES

- \$1 DOOR MOUNTED.
- \$2 CEILING MOUNTED.
- \$3 ADJUST DIRECTORY LOCATION AS NECESSARY.
- \$4 NOT USED.
- \$5 WALKWAY TO BUILDING 1, LEVEL 1.
- \$6 WALKWAY TO BUILDING 1, BASEMENT LEVEL.
- \$7 WALKWAY INTO BUILDING 2.
- \$8 WALKWAY TO BUILDING 50.
- \$9 CONNECTION TO BUILDING 40.
- \$10 BUILDING 41.
- \$11 BUILDING 42.
- \$12 BUILDING 41 ROOF ACCESS.
- \$13 RESERVED STALLS 1.1-1.23
- \$14 RESERVED STALLS 1.24-1.45
- \$15 RESERVED STALLS 1.46-1.53
- \$16 RESERVED STALLS 2.1-2.40
- \$17 RESERVED STALLS 2.41-74
- \$18 RESERVED STALLS 2.75-2.105
- \$19 RESERVED STALLS 3.1-3.20
- \$20 RESERVED STALLS 3.21-3.51
- \$21 RESERVED STALLS 3.52-3.84
- \$22 RESERVED STALLS 4.1-4.20
- \$23 RESERVED STALLS 4.21-4.61


NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN

KEYPLAN



		CONSULTANT	<div>DESIGNER OF RECORD</div> <div><div>ANDERSON</div><div>13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721</div></div>	STAMP	<div>Office of Construction and Facilities Management</div> <div><div>VA</div><div>U.S. Department of Veterans Affairs</div></div>	Drawing Title	Phase	Project Title			Project Number	
BUILDING 40 - FLOOR 1 SIGNAGE PLAN						100% CONSTRUCTION DOCUMENTS		IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING			636A8-23-101	
Approved:								Location 601 HWY 6 WEST, IOWA CITY, IA			Building Number 40	
								Issue Date 10/10/2024			Checked CZ	Drawn CZ
											40-A4	
Revisions:		Date:										


C:\Users\czupar\Documents\17721 IA VA Signage_R22_csupar\AMEX.rvt 10/10/2024 11:33:44 AM




$$1/8^{\circ} = 1^{\circ}-0^{\circ}$$



1. CONTRACTOR SHALL COORDINATE ALL DEMOLITION WORK, PHASING AND SEQUENCING WITH THE OWNER. ANY INFORMATION REGARDING SEQUENCING PROVIDED IN THESE DOCUMENTS IS FOR ARCHITECT - OWNER PLANNING PURPOSES ONLY, UNLESS NOTED OTHERWISE.
2. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING WITH ALL TRADES FOR THE DEMOLITION WORK REQUIRED FOR THIS PROJECT.
3. PATCH AND REPAIR SURFACE TO MATCH EXISTING FINISHES WHERE WALL AND CEILING MOUNTED SIGNAGE IS SCHEDULED TO BE REMOVED, UNLESS NOTED OTHERWISE. WHERE WALL MOUNTING ORIGIN, PATCH AND PREPARE SURFACE TO PAINT TO MATCH CAMPUS STANDARDS.
4. ALL DISTURBED AREAS, WALLS, PARTITIONS, FLOORS, ETC. DAMAGED BY DEMOLITION WORK SHALL BE PATCHED TO MATCH ADJACENT AREA.
5. OWNER RESERVES THE RIGHT OF FIRST REFUSAL, OF ALL SALVAGED ITEMS.
6. SALVAGED ITEMS SCHEDULED FOR REUSE SHALL BE CLEANED, RESTORED AND/OR REFINISHED TO LIKE NEW CONDITION, UNLESS NOTED OTHERWISE.
7. SEE LANDSCAPE ARCHITECTURAL DRAWINGS FOR RELATED DEMOLITION AND PREP WORK.
8. REMOVE AND SALVAGE EXISTING CEILING TILES FOR INSTALLATION OF ABOVE CEILING SIGNAGE SUPPORTS.
9. WHERE WALLCOVERING ORIGIN AND SIGNAGE IS REMOVED, REMOVE WALLCOVERING AND PATCH AND PREP WALL FOR PAINT.
10. REMOVE ALL OVERHEAD SIGNAGE IN PARKING RAMP UNLESS OTHERWISE NOTED.

DE1	WAYFINDING SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
DE2	REMOVE WAYFINDING SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
DE3	ROOM IDENTIFICATION SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
DE4	GENERAL AND LIFE SAFETY SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
DE5	REMOVE GENERAL SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
DE6	REMOVE TEMPORARY SIGN
DE7	REMOVE UNUSED SIGN POSTS. PATCH SURFACE
DE8	REMOVE POST AND PANEL SIGNS. REPLACE
DE9	REMOVE SIGN. REPLACE
DE10	REMOVE SIGN. PATCH SURFACE
DE11	REMOVE SIGN
DE12	REMOVE DOOR MOUNTED SIGN. PATCH AND PAINT SURFACE TO MATCH EXISTING
DE13	RELOCATE ITEMS TO SOUTH WALL OR ENCLOSED TABLETBOARDS. HAZARD SIGNS, RED SIGN, AND PHONE LIST TO REMAIN
DE14	REMOVE EXISTING WALLCOVERING WHERE INDICATED. REPAIR WALL AND PAINT SURFACE TO ACCORDING TO CAMPUS STANDARDS
DE15	REMOVE ADHERED LETTERING FROM CHECK-IN WINDOW
DE16	REMOVE EMERGENCY DEPARTMENT, HOSPITAL ENTRANCE, AND NO SMOKING SIGNS. REPAIR SURFACE
DE17	REMOVE CLEARANCE BAR. REPAIR SURFACE
DE18	OVERHEAD SIGN TO REMAIN (MESSAGE: OUT, DROP-OFF)
DE19	OVERHEAD SIGN TO REMAIN (MESSAGE: DROP-OFF)
DE20	OVERHEAD SIGN TO REMAIN (MESSAGE: PARK, PARKING)
DE21	REMOVE EMERGENCY BANNER


KEYPLAN



		CONSULTANT	 <p>13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721</p>	STAMP	<div>Office of Construction and Facilities Management</div> <div>  U.S. Department of Veterans Affairs </div>	Drawing Title	Phase	Project Title	Project Number
						BUILDING 40 - FLOOR 2 DEMOLITION PLAN	100% CONSTRUCTION DOCUMENTS	IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING	636A8-23-101
						Approved:		Location 601 HWY 6 WEST, IOWA CITY, IA	Building Number 40
								Issue Date 10/10/2024	Drawn CZ
								Checked CZ	Drawing Number 40-A5
Revisions:	Date:								



1 BUILDING 40 - FLOOR 2 SIGNAGE PLAN
1/8" = 1'-0"



BUILDING 40 FLOOR 2 SIGNAGE SCHEDULE					
ROOM NUMBER	SIGN TYPE	QTY	SIGN MESSAGE	SIGN MESSAGE 2	REMARKS
2ST01	SIGN 3.6	1	STAIRWELL 1	2, 2-1, NO ROOF ACCESS, EXIT 1ST FLOOR	WALL MOUNTED
2ST01	SIGN 3.7	1	STAIRS	2ST01	WALL MOUNTED
2ST02	SIGN 3.6	1	STAIRWELL 2	2, 2-2, NO ROOF ACCESS, EXIT 1ST FLOOR	WALL MOUNTED
2ST02	SIGN 3.7	1	STAIRS	2ST02	WALL MOUNTED
200	IN-01.04	1	IN CASE OF FIRE, ELEVATORS ARE OUT OF SERVICE	USE EXIT	WALL MOUNTED
201	SIGN 2.1	1	MEN	201	WALL MOUNTED
202	SIGN 2.2	1	WOMEN	202	WALL MOUNTED
204	SIGN 1.2	1	204	LABORATORY	WALL MOUNTED
204A	SIGN 1.2	1	204A	EQUIPMENT	WALL MOUNTED
204B	SIGN 1.2	1	204B	TISSUE CULTURE	WALL MOUNTED
204C	SIGN 1.2	1	204C	FLUME HOOD	WALL MOUNTED
204D	SIGN 1.2	1	204D	TISSUE CULTURE	WALL MOUNTED
204E	SIGN 1.2	1	204E	EQUIPMENT	WALL MOUNTED

SIGNAGE GENERAL NOTES


1. DETAIL DRAWINGS PERTAIN TO SIGNAGE IN ALL BUILDINGS INCLUDED IN THE SCOPE OF WORK.
2. ALL SIGNAGE IDENTIFYING PERMANENT ROOMS SHALL COMPLY WITH 2010 STANDARD FOR ACCESSIBLE DESIGN.
3. ALL PERMANENT ROOM SIGNAGE TO HAVE TOP SECTION RAISED TEXT AND LOWER SECTION BRAILLE. BRAILLE TO BE GRADE 2.
4. ALL ROOM IDENTIFICATION SIGNS TO BE MOUNTED ON LATCH SIDE OF DOOR UNLESS NOTED OTHERWISE. IF NO SPACE EXISTS ON LATCH SIDE MOUNT SIGN TO THE NEAREST ADJACENT WALL. SIGNS MUST BE 2" FROM DOOR JAMB WITH 18" CLEAR FLOOR SPACE FROM CENTER OF SIGN.
5. ALL SIGN TEXT AND NUMBERING SUBJECT TO FINAL APPROVAL BY OWNER.
6. ALL SIGNS MOUNTED TO GLASS TO HAVE GLASS BACKER.
7. SIGNS TO BE MOUNTED ACCORDING TO MANUFACTURERS INSTALLATION INSTRUCTIONS AND MATERIALS.
8. SIGN DETAILS ARE FOR REFERENCE ONLY. ACTUAL DESIGN TO BE PROVIDED BY THE VENDOR, FOLLOWING FACILITY STANDARD, AND SUBJECT TO OWNER APPROVAL.
9. REINSTALL CEILING SYSTEMS REMOVED AND SALVAGED DURING DEMOLITION. REPLACE ANY DAMAGED CEILING FINISHES IN-KIND WITH EXISTING.
10. WHERE WALL COVERING WAS REMOVED, PATCH AND PAINT WALLS TO MATCH EXISTING PAINT.

SIGNAGE KEYED NOTES


- \$1 DOOR MOUNTED.
- \$2 CEILING MOUNTED.
- \$3 ADJUST DIRECTORY LOCATION AS NECESSARY.
- \$4 NOT USED.
- \$5 WALKWAY TO BUILDING 1, LEVEL 1.
- \$6 WALKWAY TO BUILDING 1, BASEMENT LEVEL.
- \$7 WALKWAY INTO BUILDING 2.
- \$8 WALKWAY TO BUILDING 50.
- \$9 CONNECTION TO BUILDING 40.
- \$10 BUILDING 41.
- \$11 BUILDING 42.
- \$12 BUILDING 41 ROOF ACCESS.
- \$13 RESERVED STALLS 1.1-1.23
- \$14 RESERVED STALLS 1.24-1.45
- \$15 RESERVED STALLS 1.46-1.53
- \$16 RESERVED STALLS 2.1-2.40
- \$17 RESERVED STALLS 2.41-74
- \$18 RESERVED STALLS 2.75-2.105
- \$19 RESERVED STALLS 3.1-3.20
- \$20 RESERVED STALLS 3.21-3.51
- \$21 RESERVED STALLS 3.52-3.84
- \$22 RESERVED STALLS 4.1-4.20
- \$23 RESERVED STALLS 4.21-4.61

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN

KEYPLAN



		CONSULTANT	<div>DESIGNER OF RECORD</div> <div><div>ANDERSON</div><div>13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721</div></div>	STAMP	<div>Office of Construction and Facilities Management</div> <div>VAU.S. Department of Veterans Affairs</div>	Drawing Title	Phase	Project Title	Project Number
						BUILDING 40 - FLOOR 2 SIGNAGE PLAN	100% CONSTRUCTION DOCUMENTS	IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING	636A8-23-101
									Building Number
									40
									Drawing Number
									40-A6
Revisions:	Date:								



1 BUILDING 40 - FLOOR 3 DEMOLITION PLAN
1/8" = 1'-0"

DEMOLITION GENERAL NOTES


1. CONTRACTOR SHALL COORDINATE ALL DEMOLITION WORK, PHASING AND SEQUENCING WITH THE OWNER. ANY INFORMATION REGARDING SEQUENCING PROVIDED IN THESE DOCUMENTS IS FOR ARCHITECT - OWNER PLANNING PURPOSES ONLY. UNLESS NOTED OTHERWISE.
2. CONTRACTOR SHALL BE RESPONSIBLE FOR COORDINATING WITH ALL TRADES FOR THE DEMOLITION WORK REQUIRED FOR THIS PROJECT.
3. PATCH AND REPAIR SURFACE TO MATCH EXISTING FINISHES WHERE WALL AND CEILING MOUNTED SIGNAGE IS SCHEDULED TO BE REMOVED. UNLESS NOTED OTHERWISE. WHERE WALLCOVERING OCCURS, PATCH AND PREPARE SURFACE FOR PAINT. PAINT TO MATCH CAMPUS STANDARDS.
4. ALL DISTURBED AREAS, WALLS, PARTITIONS, FLOORS, ETC., DAMAGED BY DEMOLITION WORK SHALL BE PATCHED TO MATCH ADJACENT AREA.
5. OWNER RESERVES THE RIGHT OF FIRST REFUSAL OF ALL SALVAGED ITEMS.
6. SALVAGED ITEMS SCHEDULED FOR REUSE SHALL BE CLEANED, RESTORED AND/OR REFINISHED TO LIKE NEW CONDITION, UNLESS NOTED OTHERWISE.
7. SEE LANDSCAPE ARCHITECTURAL DRAWINGS FOR RELATED DEMOLITION AND PREP WORK.
8. REMOVE AND SALVAGE EXISTING CEILING TILES FOR INSTALLATION OF ABOVE CEILING SIGNAGE SUPPORTS.
9. WHERE WALLCOVERING OCCURS AND SIGNAGE IS REMOVED, REMOVE WALLCOVERING AND PATCH AND PREP WALL FOR PAINT.
10. REMOVE ALL OVERHEAD SIGNAGE IN PARKING RAMP UNLESS OTHERWISE NOTED.

DEMOLITION PLAN KEYED NOTES


- DE1 WAYFINDING SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE2 REMOVE WAYFINDING SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE3 ROOM IDENTIFICATION SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE4 GENERAL AND LIFE SAFETY SIGNAGE TO BE REMOVED, UPDATED, AND REPLACED
- DE5 REMOVE GENERAL SIGNAGE AND REPAIR SURFACE TO MATCH EXISTING FINISHES
- DE6 REMOVE TEMPORARY SIGN
- DE7 REMOVE UNUSED SIGN POSTS. PATCH SURFACE
- DE8 REMOVE POST AND PANEL SIGNS. REPLACE
- DE9 REMOVE SIGN. REPLACE
- DE10 REMOVE SIGN. PATCH SURFACE
- DE11 REMOVE SIGN
- DE12 REMOVE DOOR MOUNTED SIGN. PATCH AND PAINT SURFACE TO MATCH EXISTING
- DE13 RELOCATE ITEMS TO SOUTH WALL OR ENCLOSED TACKBOARDS. HAZARD SIGNS, AED SIGN, AND PHONE LIST TO REMAIN
- DE14 REMOVE EXISTING WALLCOVERING WHERE INDICATED. REPAIR WALL AND PAINT SURFACE TO ACCORDING TO CAMPUS STANDARDS
- DE15 REMOVE ADHERED LETTERING FROM CHECK-IN WINDOW
- DE16 REMOVE EMERGENCY DEPARTMENT, HOSPITAL ENTRANCE, AND NO SMOKING SIGNS. REPAIR SURFACE
- DE17 REMOVE CLEARANCE BAR. REPAIR SURFACE
- DE18 OVERHEAD SIGN TO REMAIN (MESSAGE: OUT, DROP-OFF)
- DE19 OVERHEAD SIGN TO REMAIN (MESSAGE: DROP-OFF)
- DE20 OVERHEAD SIGN TO REMAIN (MESSAGE: PARK, PARKING)
- DE21 REMOVE EMERGENCY BANNER

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN


KEYPLAN



		CONSULTANT	<div></div>	DESIGNER OF RECORD	<div><div>ANDERSON</div><div>13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721</div></div>	STAMP	Office of Construction and Facilities Management	Drawing Title	Phase	Project Title	Project Number
Revisions:	Date:							BUILDING 40 - FLOOR 3 DEMOLITION PLAN	100% CONSTRUCTION DOCUMENTS	IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING	636A8-23-101
								Approved:		Location	Building Number
										601 HWY 6 WEST, IOWA CITY, IA	40
										Issue Date	Drawing Number
										10/10/2024	40-A7
										Checked	
										CZ	
										Drawn	
										CZ	



1 BUILDING 40 - FLOOR 3 SIGNAGE PLAN
1/8" = 1'-0"



BUILDING 40 FLOOR 3 SIGNAGE SCHEDULE					
ROOM NUMBER	SIGN TYPE	QTY	SIGN MESSAGE	SIGN MESSAGE 2	REMARKS
3ST01	SIGN 3.6	1	STAIRWELL 1	3, 3-1, NO ROOF ACCESS, EXIT 1ST FLOOR	WALL MOUNTED
3ST01	SIGN 3.7	1	STAIRS	3ST01	WALL MOUNTED
3ST02	SIGN 3.6	1	STAIRWELL 2	3, 3-2, NO ROOF ACCESS, EXIT 1ST FLOOR	WALL MOUNTED
3ST02	SIGN 3.7	1	STAIRS	3ST02	WALL MOUNTED
301	IN-01.04	1	IN CASE OF FIRE, ELEVATORS ARE OUT OF SERVICE	USE EXIT	WALL MOUNTED
301A	SIGN 2.2	1	WOMEN	301A	WALL MOUNTED
301B	SIGN 2.1	1	MEN	301B	WALL MOUNTED
303	SIGN 1.2	1	303	OFFICE	WALL MOUNTED
304	SIGN 1.2	1	304	OFFICE	WALL MOUNTED
305	SIGN 1.2	1	305	STAFF	WALL MOUNTED
306	SIGN 1.2	1	306	COMMUNICATIONS	WALL MOUNTED
307	SIGN 1.2	1	107	OFFICE	WALL MOUNTED
308	SIGN 1.2	1	308	CONFERENCE	WALL MOUNTED
308	SIGN 1.2	1	308	CONFERENCE	WALL MOUNTED
309	SIGN 1.2	1	309	OFFICE	WALL MOUNTED
310	SIGN 1.2	1	310	OFFICE	WALL MOUNTED
311	SIGN 1.2	1	311	OFFICE	WALL MOUNTED
312	SIGN 1.2	1	312	OFFICE	WALL MOUNTED
313	SIGN 1.2	1	313	OFFICE	WALL MOUNTED
314	SIGN 1.2	1	314	OFFICE	WALL MOUNTED
315	SIGN 1.2	1	315	OFFICE	WALL MOUNTED
316	SIGN 1.2	1	316	OFFICE	WALL MOUNTED
318	SIGN 1.2	1	318	MECHANICAL	WALL MOUNTED

SIGNAGE GENERAL NOTES


1. DETAIL DRAWINGS PERTAIN TO SIGNAGE IN ALL BUILDINGS INCLUDED IN THE SCOPE OF WORK.
2. ALL SIGNAGE IDENTIFYING PERMANENT ROOMS SHALL COMPLY WITH 2010 STANDARD FOR ACCESSIBLE DESIGN.
3. ALL PERMANENT ROOM SIGNAGE TO HAVE TOP SECTION RAISED TEXT AND LOWER SECTION BRAILLE. BRAILLE TO BE GRADE 2.
4. ALL ROOM IDENTIFICATION SIGNS TO BE MOUNTED ON LATCH SIDE OF DOOR UNLESS NOTED OTHERWISE. IF NO SPACE EXISTS ON LATCH SIDE MOUNT SIGN TO THE NEAREST ADJACENT WALL. SIGNS MUST BE 2" FROM DOOR JAMB WITH 18" CLEAR FLOOR SPACE FROM CENTER OF SIGN.
5. ALL SIGN TEXT AND NUMBERING SUBJECT TO FINAL APPROVAL BY OWNER.
6. ALL SIGNS MOUNTED TO GLASS TO HAVE GLASS BACKER.
7. SIGNS TO BE MOUNTED ACCORDING TO MANUFACTURERS INSTALLATION INSTRUCTIONS AND MATERIALS.
8. SIGN DETAILS ARE FOR REFERENCE ONLY. ACTUAL DESIGN TO BE PROVIDED BY THE VENDOR, FOLLOWING FACILITY STANDARD, AND SUBJECT TO OWNER APPROVAL.
9. REINSTALL CEILING SYSTEMS REMOVED AND SALVAGED DURING DEMOLITION. REPLACE ANY DAMAGED CEILING FINISHES IN-KIND WITH EXISTING.
10. WHERE WALL COVERING WAS REMOVED, PATCH AND PAINT WALLS TO MATCH EXISTING PAINT.

SIGNAGE KEYED NOTES

- S1 DOOR MOUNTED.
- S2 CEILING MOUNTED.
- S3 ADJUST DIRECTORY LOCATION AS NECESSARY.
- S4 NOT USED.
- S5 WALKWAY TO BUILDING 1, LEVEL 1.
- S6 WALKWAY TO BUILDING 1, BASEMENT LEVEL.
- S7 WALKWAY INTO BUILDING 2.
- S8 WALKWAY TO BUILDING 50.
- S9 CONNECTION TO BUILDING 40.
- S10 BUILDING 41.
- S11 BUILDING 42.
- S12 BUILDING 41 ROOF ACCESS.
- S13 RESERVED STALLS 1.1-1.23
- S14 RESERVED STALLS 1.24-1.45
- S15 RESERVED STALLS 1.46-1.53
- S16 RESERVED STALLS 2.1-2.40
- S17 RESERVED STALLS 2.41-74
- S18 RESERVED STALLS 2.75-2.105
- S19 RESERVED STALLS 3.1-3.20
- S20 RESERVED STALLS 3.21-3.51
- S21 RESERVED STALLS 3.52-3.84
- S22 RESERVED STALLS 4.1-4.20
- S23 RESERVED STALLS 4.21-4.61

NOTE: NOT ALL KEYED NOTES MAY BE USED ON EACH PLAN

KEYPLAN



		CONSULTANT	<div>DESIGNER OF RECORD</div> <div><div>ANDERSON</div><div>13605 1st Ave. N. #100 Plymouth, MN 55441 P 763.412.4000 F 763.412.4090 ae-mn.com Anderson Engineering of Minnesota, LLC Proj # 17721</div></div>	STAMP	<div>Office of Construction and Facilities Management</div> <div><div>VA</div><div>U.S. Department of Veterans Affairs</div></div>	Drawing Title	Phase	Project Title			Project Number	
BUILDING 40 - FLOOR 3 SIGNAGE PLAN						100% CONSTRUCTION DOCUMENTS		IOWA CITY VAMC UPDATE SIGNAGE AND WAYFINDING			636A8-23-101	
Approved:								Location 601 HWY 6 WEST, IOWA CITY, IA			Building Number 40	
								Issue Date 10/10/2024			Checked CZ	Drawn CZ
Revisions:						Date:					40-A8	