


e of uction cilities	GROUND LEVEL REFLECTED CEILING PLAN		Phase BID DOCUMENTS		Project Title CONSTRU	Project Title CONSTRUCT NEW SPS		
ement			FULLY SPRINKLERED		Location Sioux Falls, S	Location Sioux Falls, SD.		
Department terans rs	Approved:	Issue Date 02/14/2025			Checked LA	Drawn GJE		
	7		8		9			



В

С

D

Е

F

REFLECTED CEILING KEYED NOTES 18' X 18" MIN STAINLESS STEEL ACCESS PANEL. COORDINATE LOCATIONWITH MECHANICAL, ELECTRICAL AND PLUMBING AND PER SEPC SECTION REMOVE AND REPLACE CEILING, INCLUDING ANY MECHANICAL / RC2 ELECTRICAL CEILING MOUNTED ITEMS, IN THIS AREA AS REQUIRED FOR MECHANICAL WORK. REPLACE ANY DIRTY OR DAMAGED ACT OR CEILING GRID. SEE MEP PLANS FOR ADDITIONAL INFORMATION LINE OF ICRA / CONSTRUCTION BARRIER, SEE SHEETS GC101 & GC111. ALIGN EDGE OF STARC FIREBLOCK WALL SYSTEM TO EDGE OF CEILING GRID. SEAL WALL SYSTEM AIR TIGHT TO CEILING GRID. CHECK SEAL TWICE A DAY AND RESEAL AS NEEDED OR AS DIRECTED BY COR.

EW SPS	Project Number 438-460		
	Building Number 5		
	Drawing Number		
ed Drawn GJB	AC101		