

**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

<b>SIGN</b>	<b>SIGN TYPE</b>	<b>COPY LINE</b>	<b>MESSAGE</b>	<b>MOUNT</b>	<b>NOTES</b>
<b>1</b>	C4 INSTALL NOTE	1 2 3 4 5 6 7 8 9	2 (sym AR1 UL) GI Procedures/ Minor Surgery Clinic  (sym AR1 UR) Medical Specialties Community Living Center	D/7	Existing; revise text for copy lines 2 thru 8 as shown and reinstall  Top of sign at 74"
<b>2</b>	D1 INSTALL NOTE			D/3	Existing; reinstall as-is
<b>3</b>	A15 INSTALL NOTE			D/2	Existing; reinstall as-is
<b>4</b>	A15	1 2	2C-33	D/1	
<b>4A</b>	A4 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>5</b>	G7	1 2 3 4 5 6 7	ATTENTION If You Have Been Waiting 15 Minutes Past Your Scheduled Appointment Please Inform The Receptionist	D/3	
<b>6</b>	A16 INSTALL NOTE	1 2 3	Waiting Area 2C-01	D/7	Existing; revise text for copy lines 1 and 2 as shown and reinstall
<b>7</b>	E3	1a 2a 3a  1b 2b 3b	(sym VA SEAL) Medical Specialties Check-In / Check-Out  (sym VA SEAL) Medical Specialties Check-In / Check-Out	I.1/5	
<b>8</b>	A16	1 2 3	Staff Only  2C-05	D/1	

**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

<b>SIGN</b>	<b>SIGN TYPE</b>	<b>COPY LINE</b>	<b>MESSAGE</b>	<b>MOUNT</b>	<b>NOTES</b>
<b>9</b>	<b>E4</b>	1a 2a  1b 2b	(sym VA SEAL) Medical Specialties	D/6	2" copy center up and down  Face b no copy
<b>10</b>	<b>F1</b>	1 2 3 4	(sym DNE) Authorized Personnel Only	A/3	
<b>11</b>	<b>F1</b>	1 2 3 4	(sym DNE) Authorized Personnel Only	A/3	
<b>12</b>	<b>A8</b>	1 2 3 4	Exam Room 1 2C-06	D/1	
<b>12A</b>	<b>A15</b>	1 2	Restroom 2C-06A	D/7	
<b>13</b>	<b>A8</b>	1 2 3 4	Procedure Room 1 2C-07	D/1	
<b>14</b>	<b>A8</b>	1 2 3 4	Exam Room 2 2C-12	D/1	
<b>15</b>	<b>A1</b>	1 2 3 4 5 6	Cystoscopic Surgery  2C-10	D/1	
<b>18</b>	<b>E12</b>	1a 2a  1b 2b	(sym UNI/HCP1) RESTROOM  (sym UNI/HCP1) RESTROOM	I.1/8	
<b>19</b>	<b>A13</b>	1 2 3 4	2C-08 (sym UNI/HCP1)  RESTROOM (sym HCP1)	D/1	Braille translation to read "Accessible Women's Restroom"
<b>20</b>	<b>A24</b>	1	(sym UNI/HCP1)	A/3	

**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

<b>SIGN</b>	<b>SIGN TYPE</b>	<b>COPY LINE</b>	<b>MESSAGE</b>	<b>MOUNT</b>	<b>NOTES</b>
<b>21</b>	A8	1 2 3 4	Procedure Room 2 2C-11	D/1	
<b>23</b>	A8	1 2 3 4	Procedure Room 3 2C-15	D/1	
<b>24</b>	A2	1 2 3 4	Sterile Supplies Staff Only Keep Door Closed 2C-14	D/1	
<b>25</b>	A2	1 2 3 4	Soiled Utility Staff Only Keep Door Closed 2C-17	D/1	
<b>26</b>	A2	1 2 3 4	Clean Utility Staff Only Keep Door Closed 2C-18	D/1	
<b>27</b>	A16	1 2 3	Medication  2C-19	D/1	
<b>27A</b>	A4	1 2 3 4 5 6	Cryogenic Storage No Open Flames    2C-19A	D/1	
<b>28</b>	A1	1 2 3 4 5 6	  Nurse Manager  2C-20	D/1	
<b>29</b>	A16	1 2 3	Men's Staff Lockers  2C-21	D/2	
<b>30</b>	A15	1 2	Restroom 2C-21A	D/1	
<b>31</b>	A16 INSTALL NOTE	1 2 3	Women's Staff Lockers  2C-23	D/1	Existing; add text for copy line 1 as shown and reinstall

**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

<b>SIGN</b>	<b>SIGN TYPE</b>	<b>COPY LINE</b>	<b>MESSAGE</b>	<b>MOUNT</b>	<b>NOTES</b>
<b>32</b>	A15	1 2	Restroom 2C-23A	D/1	
<b>33</b>	E4	1a 2a  1b 2b	(sym VA SEAL) Medical Specialties	D/6	2" copy center up and down  Face b no copy
<b>34</b>	F1 INSTALL NOTE			A/3	Existing; reinstall as-is
<b>35</b>	F1 INSTALL NOTE			A/3	Existing; reinstall as-is
<b>36</b>	A15 INSTALL NOTE	1 2	Electrical 2C-25	D/1	Existing; revise text for copy line 1 as shown and reinstall
<b>37</b>	A1	1 2 3 4 5 6	  Conference Room   2C-26	D/1	
<b>38</b>	A1	1 2 3 4 5 6	  Simulation Debrief/ Conference Room  2C-27	D/1	
<b>39</b>	A16	1 2 3	Simulation Storage  2C-28	D/1	
<b>40</b>	A1 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>41</b>	A1	1 2 3 4 5 6	  Simulation Room   2C-29	D/1	
<b>42</b>	A16	1 2 3	Simulation Control Room 2C-30	D/1	

**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

SIGN	SIGN TYPE	COPY LINE	MESSAGE	MOUNT	NOTES
43	A5 INSTALL NOTE			D/1	Existing; reinstall as-is
44	A15	1 2	2C-10	D/1	
45	A15 INSTALL NOTE			D/1	Existing; reinstall as-is
46	C4	1 2 3 4 5 6 7 8 9	2 (sym AR1 DL) GI Procedures/ Minor Surgery Clinic (sym AR1 LF) Medical Specialties (sym AR1 UR) Community Living Center	D/7	Top of sign at 74"
47A	J1	1 2	(sym VELE) Victory	R/4	Place on elevator doors as shown in Sign Type
47B	J1	1 2	(sym VELE) Victory	R/4	Place on elevator doors as shown in Sign Type
47C	E6	1a 2a 3a  1b 2b 3b	(sym VELE) Victory Elevators  (sym VELE) Victory Elevators	I.1/8	
48	A1	1 2 3 4 5 6	Scheduling  2C-31	D/1	
49	A1	1 2 3 4 5 6	Prep Center  2C-32	D/1	
50	D1		(Key Location Directory, see sign type)	D/3	
50 PP1	L1		(You Are Here Location Plan insert)	na	Not shown on plan; place in sign frame

# SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE

SIGN	SIGN TYPE	COPY LINE	MESSAGE	MOUNT	NOTES
50 PP2	L2		(Key Location by Elevators insert)	na	Not shown on plan; place in sign frame
51	A1 INSTALL NOTE			D/2	Existing; reinstall as-is
52	A16 INSTALL NOTE			D/1	Existing; reinstall as-is
53	A1 INSTALL NOTE			D/1	Existing; reinstall as-is
54	C4 INSTALL NOTE			D/4	Existing; reinstall as-is  Place in previous location
55	C5 INSTALL NOTE			D/3	Existing; reinstall as-is  Top of sign at 74"
56	E6 INSTALL NOTE			S/8	Existing; reinstall as-is  4" cable drops, attach to 1" grid with I-clips; bottom of sign at 89"
57A	E15 INSTALL NOTE			I.1/5	Existing; reinstall as-is
57B	B8 INSTALL NOTE			A/4	Existing; reinstall as-is  Place 2" from cabinet frame
58	B1 INSTALL NOTE			D/1	Existing; reinstall as-is
59	D1 INSTALL NOTE			D/3	Existing; reinstall as-is
60	F4 INSTALL NOTE			A/4	Existing; reinstall as-is  Place centered above elevator call buttons
61	A1 INSTALL NOTE			D/1	Existing; reinstall as-is
62	A2 INSTALL NOTE			D/7	Existing; reinstall as-is

**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

<b>SIGN</b>	<b>SIGN TYPE</b>	<b>COPY LINE</b>	<b>MESSAGE</b>	<b>MOUNT</b>	<b>NOTES</b>
<b>63</b>	A15 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>64</b>	A1 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>65</b>	G3 INSTALL NOTE			D/4	Existing; reinstall as-is  Place 2" to the left of previous sign, align tops
<b>66</b>	A5 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>67</b>	E4 INSTALL NOTE			I.1/5	Existing; reinstall as-is
<b>68</b>	A1 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>69</b>	A1 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>70</b>	A15 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>71A</b>	E15 INSTALL NOTE			I.1/5	Existing; reinstall as-is
<b>71B</b>	B8 INSTALL NOTE			A/4	Existing; reinstall as-is  Place 2" from cabinet frame
<b>72</b>	E4 INSTALL NOTE			D/6	Existing; reinstall as-is
<b>73</b>	E15		<i>(Extinguisher Sign, See Sign Type)</i>	I.1/5	
<b>73A</b>	B8		<i>(RACE Sign, See Sign Type)</i>	A/4	place 2" from cabinet frame
<b>74</b>	E15		<i>(Extinguisher Sign, See Sign Type)</i>	I.1/5	
<b>73A</b>	B8		<i>(RACE Sign, See Sign Type)</i>	A/4	place 2" from cabinet frame

**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

<b>SIGN</b>	<b>SIGN TYPE</b>	<b>COPY LINE</b>	<b>MESSAGE</b>	<b>MOUNT</b>	<b>NOTES</b>
<b>74</b>	C4	1 2 3 4 5 6 7 8 9	2 (sym AR1 RT) Barber Shop Community Health Home Based Primary Care (sym AR1 LF) Community Living Center Palliative Care Clinic Wings 2C, 2D and 3E	D/2	Top of sign at 74"
<b>75</b>	E19A INSTALL NOTE	1a 2a  1b 2b	(sym AR1 LF) (sym VELE) Victory Elevators  (sym AR1 RT) (sym VELE) Victory Elevators	I.1/8	Customize Sign Type E19 to provide double-sided, ceiling-mounted elevator sign
<b>76</b>	C4	1 2 3 4 5 6 7 8 9	2 (sym AR1 UP) Medical Specialties GI Procedures/ Minor Surgery Clinic (sym AR1 RT) Community Living Center Palliative Care Clinic Wings 2C, 2D and 3E	D/2	Top of sign at 74"
<b>77</b>	A1 INSTALL NOTE	1 2 3 4 5 6	  Bronchoscopy   2B-04	D/1	Existing; revise text for copy line 3 as shown and reinstall in new location



**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

SIGN	SIGN TYPE	COPY LINE	MESSAGE	MOUNT	NOTES
1	C4 INSTALL NOTE	1 2 3 4 5 6 7 8 9	2 (sym AR1 UL) GI Procedures/ Minor Surgery Clinic  (sym AR1 UR) Medical Specialties Community Living Center	D/7	Existing; revise text for copy lines 2 thru 8 as shown and reinstall  Top of sign at 74"
2	D1 INSTALL NOTE			D/3	Existing; reinstall as-is
3	A15 INSTALL NOTE			D/2	Existing; reinstall as-is
4	A15	1 2	2C-33	D/1	
4A	A4 INSTALL NOTE			D/1	Existing; reinstall as-is
5	G7	1 2 3 4 5 6 7	ATTENTION If You Have Been Waiting 15 Minutes Past Your Scheduled Appointment Please Inform The Receptionist	D/3	
6	A16 INSTALL NOTE	1 2 3	Waiting Area 2C-01	D/7	Existing; revise text for copy lines 1 and 2 as shown and reinstall
7	E3	1a 2a 3a  1b 2b 3b	(sym VA SEAL) Medical Specialties Check-In / Check-Out  (sym VA SEAL) Medical Specialties Check-In / Check-Out	I.1/5	
8	A16	1 2 3	Staff Only  2C-05	D/1	

**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

<b>SIGN</b>	<b>SIGN TYPE</b>	<b>COPY LINE</b>	<b>MESSAGE</b>	<b>MOUNT</b>	<b>NOTES</b>
<b>9</b>	<b>E4</b>	1a 2a  1b 2b	(sym VA SEAL) Medical Specialties	D/6	2" copy center up and down  Face b no copy
<b>10</b>	<b>F1</b>	1 2 3 4	(sym DNE) Authorized Personnel Only	A/3	
<b>11</b>	<b>F1</b>	1 2 3 4	(sym DNE) Authorized Personnel Only	A/3	
<b>12</b>	<b>A8</b>	1 2 3 4	Exam Room 1 2C-06	D/1	
<b>12A</b>	<b>A15</b>	1 2	Restroom 2C-06A	D/7	
<b>13</b>	<b>A8</b>	1 2 3 4	Procedure Room 1 2C-07	D/1	
<b>14</b>	<b>A8</b>	1 2 3 4	Exam Room 2 2C-12	D/1	
<b>15</b>	<b>A1</b>	1 2 3 4 5 6	Cystoscopic Surgery  2C-10	D/1	
<b>18</b>	<b>E12</b>	1a 2a  1b 2b	(sym UNI/HCP1) RESTROOM  (sym UNI/HCP1) RESTROOM	I.1/8	
<b>19</b>	<b>A13</b>	1 2 3 4	2C-08 (sym UNI/HCP1)  RESTROOM (sym HCP1)	D/1	Braille translation to read "Accessible Women's Restroom"
<b>20</b>	<b>A24</b>	1	(sym UNI/HCP1)	A/3	

**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

<b>SIGN</b>	<b>SIGN TYPE</b>	<b>COPY LINE</b>	<b>MESSAGE</b>	<b>MOUNT</b>	<b>NOTES</b>
<b>21</b>	A8	1 2 3 4	Procedure Room 2 2C-11	D/1	
<b>23</b>	A8	1 2 3 4	Procedure Room 3 2C-15	D/1	
<b>24</b>	A2	1 2 3 4	Sterile Supplies Staff Only Keep Door Closed 2C-14	D/1	
<b>25</b>	A2	1 2 3 4	Soiled Utility Staff Only Keep Door Closed 2C-17	D/1	
<b>26</b>	A2	1 2 3 4	Clean Utility Staff Only Keep Door Closed 2C-18	D/1	
<b>27</b>	A16	1 2 3	Medication  2C-19	D/1	
<b>27A</b>	A4	1 2 3 4 5 6	Cryogenic Storage No Open Flames    2C-19A	D/1	
<b>28</b>	A1	1 2 3 4 5 6	  Nurse Manager  2C-20	D/1	
<b>29</b>	A16	1 2 3	Men's Staff Lockers  2C-21	D/2	
<b>30</b>	A15	1 2	Restroom 2C-21A	D/1	
<b>31</b>	A16 INSTALL NOTE	1 2 3	Women's Staff Lockers  2C-23	D/1	Existing; add text for copy line 1 as shown and reinstall

**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

<b>SIGN</b>	<b>SIGN TYPE</b>	<b>COPY LINE</b>	<b>MESSAGE</b>	<b>MOUNT</b>	<b>NOTES</b>
<b>32</b>	A15	1 2	Restroom 2C-23A	D/1	
<b>33</b>	E4	1a 2a  1b 2b	(sym VA SEAL) Medical Specialties	D/6	2" copy center up and down  Face b no copy
<b>34</b>	F1 INSTALL NOTE			A/3	Existing; reinstall as-is
<b>35</b>	F1 INSTALL NOTE			A/3	Existing; reinstall as-is
<b>36</b>	A15 INSTALL NOTE	1 2	Electrical 2C-25	D/1	Existing; revise text for copy line 1 as shown and reinstall
<b>37</b>	A1	1 2 3 4 5 6	  Conference Room   2C-26	D/1	
<b>38</b>	A1	1 2 3 4 5 6	  Simulation Debrief/ Conference Room  2C-27	D/1	
<b>39</b>	A16	1 2 3	Simulation Storage  2C-28	D/1	
<b>40</b>	A1 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>41</b>	A1	1 2 3 4 5 6	  Simulation Room   2C-29	D/1	
<b>42</b>	A16	1 2 3	Simulation Control Room 2C-30	D/1	

**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

SIGN	SIGN TYPE	COPY LINE	MESSAGE	MOUNT	NOTES
43	A5 INSTALL NOTE			D/1	Existing; reinstall as-is
44	A15	1 2	2C-10	D/1	
45	A15 INSTALL NOTE			D/1	Existing; reinstall as-is
46	C4	1 2 3 4 5 6 7 8 9	2 (sym AR1 DL) GI Procedures/ Minor Surgery Clinic (sym AR1 LF) Medical Specialties (sym AR1 UR) Community Living Center	D/7	Top of sign at 74"
47A	J1	1 2	(sym VELE) Victory	R/4	Place on elevator doors as shown in Sign Type
47B	J1	1 2	(sym VELE) Victory	R/4	Place on elevator doors as shown in Sign Type
47C	E6	1a 2a 3a  1b 2b 3b	(sym VELE) Victory Elevators  (sym VELE) Victory Elevators	I.1/8	
48	A1	1 2 3 4 5 6	Scheduling  2C-31	D/1	
49	A1	1 2 3 4 5 6	Prep Center  2C-32	D/1	
50	D1		(Key Location Directory, see sign type)	D/3	
50 PP1	L1		(You Are Here Location Plan insert)	na	Not shown on plan; place in sign frame

**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

SIGN	SIGN TYPE	COPY LINE	MESSAGE	MOUNT	NOTES
50 PP2	L2		<i>(Key Location by Elevators insert)</i>	na	Not shown on plan; place in sign frame
51	A1 INSTALL NOTE			D/2	Existing; reinstall as-is
52	A16 INSTALL NOTE			D/1	Existing; reinstall as-is
53	A1 INSTALL NOTE			D/1	Existing; reinstall as-is
54	C4 INSTALL NOTE			D/4	Existing; reinstall as-is  Place in previous location
55	C5 INSTALL NOTE			D/3	Existing; reinstall as-is  Top of sign at 74"
56	E6 INSTALL NOTE			S/8	Existing; reinstall as-is  4" cable drops, attach to 1" grid with I-clips; bottom of sign at 89"
57A	E15 INSTALL NOTE			I.1/5	Existing; reinstall as-is
57B	B8 INSTALL NOTE			A/4	Existing; reinstall as-is  Place 2" from cabinet frame
58	B1 INSTALL NOTE			D/1	Existing; reinstall as-is
59	D1 INSTALL NOTE			D/3	Existing; reinstall as-is
60	F4 INSTALL NOTE			A/4	Existing; reinstall as-is  Place centered above elevator call buttons
61	A1 INSTALL NOTE			D/1	Existing; reinstall as-is
62	A2 INSTALL NOTE			D/7	Existing; reinstall as-is

**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

<b>SIGN</b>	<b>SIGN TYPE</b>	<b>COPY LINE</b>	<b>MESSAGE</b>	<b>MOUNT</b>	<b>NOTES</b>
<b>63</b>	A15 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>64</b>	A1 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>65</b>	G3 INSTALL NOTE			D/4	Existing; reinstall as-is  Place 2" to the left of previous sign, align tops
<b>66</b>	A5 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>67</b>	E4 INSTALL NOTE			I.1/5	Existing; reinstall as-is
<b>68</b>	A1 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>69</b>	A1 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>70</b>	A15 INSTALL NOTE			D/1	Existing; reinstall as-is
<b>71A</b>	E15 INSTALL NOTE			I.1/5	Existing; reinstall as-is
<b>71B</b>	B8 INSTALL NOTE			A/4	Existing; reinstall as-is  Place 2" from cabinet frame
<b>72</b>	E4 INSTALL NOTE			D/6	Existing; reinstall as-is
<b>73</b>	E15		<i>(Extinguisher Sign, See Sign Type)</i>	I.1/5	
<b>73A</b>	B8		<i>(RACE Sign, See Sign Type)</i>	A/4	place 2" from cabinet frame
<b>74</b>	E15		<i>(Extinguisher Sign, See Sign Type)</i>	I.1/5	
<b>73A</b>	B8		<i>(RACE Sign, See Sign Type)</i>	A/4	place 2" from cabinet frame

**SECOND FLOOR INTERIOR SIGN MESSAGE SCHEDULE**

<b>SIGN</b>	<b>SIGN TYPE</b>	<b>COPY LINE</b>	<b>MESSAGE</b>	<b>MOUNT</b>	<b>NOTES</b>
<b>74</b>	C4	1 2 3 4 5 6 7 8 9	2 (sym AR1 RT) Barber Shop Community Health Home Based Primary Care (sym AR1 LF) Community Living Center Palliative Care Clinic Wings 2C, 2D and 3E	D/2	Top of sign at 74"
<b>75</b>	E19A INSTALL NOTE	1a 2a  1b 2b	(sym AR1 LF) (sym VELE) Victory Elevators  (sym AR1 RT) (sym VELE) Victory Elevators	I.1/8	Customize Sign Type E19 to provide double-sided, ceiling-mounted elevator sign
<b>76</b>	C4	1 2 3 4 5 6 7 8 9	2 (sym AR1 UP) Medical Specialties GI Procedures/ Minor Surgery Clinic (sym AR1 RT) Community Living Center Palliative Care Clinic Wings 2C, 2D and 3E	D/2	Top of sign at 74"
<b>77</b>	A1 INSTALL NOTE	1 2 3 4 5 6	  Bronchoscopy   2B-04	D/1	Existing; revise text for copy line 3 as shown and reinstall in new location





## Department of Veterans Affairs

VAMC MARK Logo  
(sym VA MARK)



## Department of Veterans Affairs

VAMC MARK1 Logo  
(sym VA MARK1)

### Circle Colors



**Outer Circle**  
Color: Match Black 204  
Match Black Matte 704 (For Overheads)

**Inner Circle (General)**  
Color: Match Sapphire Blue 256 (sym CBLUE)  
Match Forest Green 276 (sym CGREEN)  
Match Cardinal Red 236 (sym CRED)  
Match Gold 160 (sym CGOLD)

**Inner Circle for Overheads**  
Color: Match Sapphire Blue Matte 756 (sym CBLUE)  
Match Forest Green Matte 776 (sym CGREEN)  
Match Cardinal Red Matte 736 (sym CRED)  
Match Gold Matte 760 (sym CGOLD)

Inner Circle

Outer Circle



VA Seal  
(sym VA SEAL)



Arrow 1 Up  
(sym AR1 UP)



Arrow 1 Down  
(sym AR1 DN)



Arrow 1 Left  
(sym AR1 LF)



Arrow 1 Right  
(sym AR1 RT)



Arrow 1 Up Left  
(sym AR1 UL)



Arrow 1 Down Left  
(sym AR1 DL)



Arrow 1 Up Right  
(sym AR1 UR)



Arrow 1 Down Right  
(sym AR1 DR)



Women  
(sym WOM)



Women's Accessible 1  
(sym WOM/HCP1)



Men  
(sym MEN)



Men's Accessible 1  
(sym MEN/HCP1)



Unisex  
(sym UNI)



Unisex Accessible 1  
(sym UNI/HCP1)



Baby Changing/Nursery 2  
(sym BABY2)



Accessible 1  
(sym HCP1)



Emergency / First Aid  
(sym EMG)



Do Not Enter  
(sym DNE)



Telephone  
(sym TEL)



Fire Stairs  
(sym STAIRS/FIRE)



Fire Extinguisher  
(sym FE)



No Flame  
(sym NFLAME)




Biohazard  
(sym BIO)



Radiation  
(sym RAD)



Cash 2  
(sym CASH2)



Liberty Elevator  
(sym LELE)



Victory Elevator  
(sym VELE)



Patriot Elevator  
(sym PELE)





Independence Elevator  
(sym IELE)



General Elevator  
(sym ELE)

# Symbols

 Stair Indicator (sym STAIRS)	 Waiting (sym WAIT)				
--	--	--	--	--	--

# Installation Guidelines / Disclaimer

## Disclaimer

Architectural Sign Associates has developed plans and sign schedules to indicate the intended sign placement locations and methods. Field conditions may require alternative locations and/or location modifications to occur. Conditions may require field determination of alternative attachment method(s) from specified mounts.

The general guidelines below should be followed. The contingency options are provided in order to assist in resolving field conditions.

## General Guidelines

- ☐ Installation shall meet all requirements of the American with Disabilities Act (ADA) ICC/ANSI A117.1-200.3
- ☐ Installation shall meet all local, state, federal building and safety codes.
- ☐ All signs installed level and plumb to within 1/64" per foot of length.
- ☐ Surfaces to be clean of dust and debris prior to installation.
- ☐ All packaging and protective coverings to be discarded in designated location.
- ☐ Hanging and Flag signs must remain 24" from sprinkler heads.
- ☐ Signs cannot visually block illuminated EXIT signs. Exit signs must be visually unobstructed from a distance of 100'.
- ☐ Locations may vary up to 1/2" left or right of designation unless field conditions require further modification.
- ☐ Locations unable to be installed in designated areas to be relocated following review by architect, sign planner or designated facility staff or representative
- ☐ Clear silicon adhesive caulk to be added inside tape area at a minimum of 2 locations for signs applied to uneven surfaces, block, concrete or wall covering surfaces. No silicone to be visible around edges of sign.

## Field Contingency Placement Options

The guidelines provided below are intended to assist in field condition modifications. Specific locations may require further direction from facility, planner and/or architects.

- ☐ Signs unable to achieve ADA required height location should be placed lower than the 60" centerline designation.
- ☐ Signs unable to achieve ADA standard latch position can be placed at hinge location or be positioned up to 2" from frame. Corner locations can be modified to nearest inside wall at knob side of frame. Tactile signs should NOT be placed on door as an alternative location unless designated on plan or in schedule.
- ☐ Hanging signs that obstruct Exit signs or are near sprinkler heads can be modified to opposite side of door or held further off wall surface.
- ☐ Wall Mounted overhead signs indicated as centered on bulkheads can be modified left or right as required by exit signs and other obstructions.
- ☐ Signs can be relocated with-in requirements of ADA placement to cover or obscure wall damage.

# Mounting Methods



## METHOD A

Pressure sensitive tape mounting intended for smooth, hard surfaces and sign areas up to 144 square inches. Add clear silicone caulking (not included) for wall covered surfaces and irregular surfaces.



## METHOD B

Magnetic mounting for steel surfaces.



## METHOD C

Velcro mounting for fabric surfaces. Use with thick fabric only.



## METHOD D

Screw-on mounting with expansion hardware. Recommended on all wall mounted signs larger than 144 square inches.



## METHOD E

Pin Mount - For use when mounting sign to fabric surfaces (i.e. cubical walls).



## METHOD F

Hook - Hook device in clear plastic which "hooks over" top of panel. Automatically locates sign two inches from top of panel. ORDER MUST SPECIFY PANEL MAKE AND THICKNESS.



## METHOD G

Freestanding - Integral aluminum desk stand, sign sizes 2", 3", 4" (height) ONLY.



## METHOD G\*

Black formed angled acrylic stand for oversized desk signs to be foamed taped to rear of sign



## METHOD H

Panel Top - For mounting on top surface of panel for 2" or 4" signs only. Pressure sensitive. Black integral aluminum bracket, sign sizes 2", 4", 5" or 6" (height) ONLY. MAXIMUM SIGN HEIGHT OF 6" IS RECOMMENDED.



## METHOD I\*

Modified mount for slotted track suspended ceiling grid. 2" white metal brackets suspend sign 1" from ceiling.

## METHOD I.1

Ceiling mount for standard suspended ceiling - Connects to 1" ceiling grid system using 2" white metal brackets. Signs appear to be floating below ceiling line. Flange grid ONLY.

## METHOD I.5

Ceiling mount for standard suspended ceiling - Connects to 1/2" ceiling grid system using 2" white metal brackets. Signs appear to be floating below ceiling line Flange grid ONLY.



## METHOD IN

Rigid Post with integral suspended ceiling grid clip - Sign mount can be specified from 1" to 24" in 1" increments using 1/2" aluminum rod. Specify 1/2" or 1" grid system.



## METHOD J

Ceiling Mount (Hanging) - General purpose hanging applications for high or irregular ceilings. Hang lines tie to various points (rafters, beams, duct work, piping etc.) Hanging hardware not included, customer must supply hang line material.



## METHOD K

Perpendicular Wall Mount - Mounts sign at 90 degree angle to wall surface with black metal bracket.



## METHOD M

Ceiling Mount (Hanging) - White metal flange to secure to fixed ceiling materials (no mounting screws provided with this mount).



## METHOD N

Ceiling Mount (Rigid Post) - Sign mounts from ceiling using 1/2" aluminum rod. Specify length of rod.



## METHOD O

Fabric mount - Secure to cubicle panel by removing top cap and capturing fabric when re attaching cap. Fabric color is available in black or white. (See Mount Option 10)



## METHOD P

Under the Cap Mount - recommended for standard or thin signs. Top cap uses an aluminum bracket as a hook device. Mounts are designed to fit under the top cap of the panel and places the top of the sign flush with the bottom of the top cap.



## METHOD Q

Uneven Wall Condition - sign supplied with pressure sensitive tape (see Method A). **Manufacturer:** to provide steel plate (.080) painted Black 704, 3/4" smaller in width and height for corresponding sign. Drill 3/16" countersunk holes (4) 3/4" from edges to center of hole.



## METHOD R

Applique Mount - sign/applique supplied with application tape Mounted as specified to glass or other smooth surface



## METHOD S

Modified mount for standard suspended ceiling - Connects to 1" ceiling grid system using Hang Ups MTM twist mount fasteners with 3/32" stainless steel cable and 3/32" stainless steel sleeves.




## METHOD T

High Powered Magnet Mount for steel panels.

## Sign Location 1

Preferred room number sign location for ADA compliance. Mount sign on knob side of door, 2" away from door jamb, 60" (maximum & optimal) to baseline of uppermost tactile text.


Mount location numbers appear in the "Mt." (Mount) column of each message schedule along with mount letters that specify each sign's mounting hardware (see "Mounting Methods" page for description of each mount letter code).



## Sign Location 2

Preferred room number sign location for ADA compliance. Mount sign on hinge side of door, 2" away from door jamb, 60" (maximum & optimal) to baseline of uppermost tactile text. This mount is used when Sign Location 1 cannot be achieved.

Mount location numbers appear in the "Mt." (Mount) column of each message schedule along with mount letters that specify each sign's mounting hardware (see "Mounting Methods" page for description of each mount letter code).



## Sign Location 3

Center sign on door or wall area horizontally. Field adjustments may be needed to accommodate existing obstacles. Signs specified with this mount should be installed 60" on center of the sign up from the floor unless otherwise noted. Also use this location when mount locations 1 and 2 cannot be achieved.

Mount location numbers appear in the "Mt." (Mount) column of each message schedule along with mount letters that specify each sign's mounting hardware (see "Mounting Methods" page for description of each mount letter code).



If a sign with tactile copy is in use, see mounting details for Location 1

## Sign Location 4

---

### **Special Sign Mounting Condition:**

**Exact mounting instructions will be called out in the notes column of the Interior Sign Message Schedule.**


Mount location numbers appear in the "Mt." (Mount) column of each message schedule along with mount letters that specify each signs' mounting hardware (see "Mounting Methods" page for description of each mount letter code).



## Sign Location 5

**Sign Mounting Condition for Two-Sided Overhead Hanging Signs:** See notes column of the Interior Sign Message Schedule for additional mounting information.


Mount location numbers appear in the "Mt." (Mount) column of each message schedule along with mount letters that specify each sign's mounting hardware (see "Mounting Methods" page for description of each mount letter code).



## Sign Location 6

**Sign Mounting Condition for Wall Mounted Overhead Signs:** See notes column of the Interior Sign Message Schedule for additional mounting information.

Mount location numbers appear in the "Mt." (Mount) column of each message schedule along with mount letters that specify each signs' mounting hardware (see "Mounting Methods" page for description of each mount letter code).




## Sign Location 7


Mount sign on wall 2" away from corners, 60" (maximum & optimal) to baseline of uppermost tactile text.

Mount location numbers appear in the "Mt." (Mount) column of each message schedule along with mount letters that specify each sign's mounting hardware (see "Mounting Methods" page for description of each mount letter code)

Example A



Example B




Example C



## Sign Location 8

**Sign Mounting Condition for Two-Sided Overhead Hanging Signs:** See notes column of the Interior Sign Message Schedule for additional mounting information.


Mount location numbers appear in the "Mt." (Mount) column of each message schedule along with mount letters that specify each sign's mounting hardware (see "Mounting Methods" page for description of each mount letter code).



## Sign Location 9

Mount sign on knob side of door, 2" in from edge of door. Field adjustments may be needed to accommodate existing obstacles. Signs specified with this mount should be installed 60" on center of the sign up from the floor unless otherwise noted.

Mount location numbers appear in the "Mt." (Mount) column of each message schedule along with mount letters that specify each sign's mounting hardware (see "Mounting Methods" page for description of each mount letter code).



## Sign Location 10

Mount sign on cubicle 2" away from corners, 60" maximum height (cubicle heights vary).

Mount location numbers appear in the "Mt." (Mount) column of each message schedule along with mount letters that specify each sign's mounting hardware (see "Mounting Methods" page for description of each mount letter code).

